



ZHEJIANG LINGSUN INDUSTRY & TRADING CO., LTD

Factory Address: No.138,Wanjin Road, Industrial Functional Zone,Zhiying Town,Yongkang City,Zhejiang Province
Yiwu Office Address: #8 Building Qinglian Third District, Beiyuan Street,Yiwu City,Zhejiang Province
sales@chinafalcon.cn / sales1@chinafalcon.cn / sales2@chinafalcon.cn /sales3@chinafalcon.cn
sales4@chinafalcon.cn www.chinafalcon.net

Sunshine International Trading FZCO

Add: EBF02.03.04.05.15.16.17.18, Dragon Mart International City, Al Awir RD, Dubai-U.A.E
Tel: +971-04-4393695 **Fax:** +971-04-4393695
Mobile: +971-50-8848528 / +971-52-7315888 **E-mail:** xbg928@qq.com

浙江灵隼工贸有限公司



Company Description











ABOUT US

>>> ZHEJIANG LINGSUN INDUSTRY & TRADING CO., LTD.

Zhejiang Lingsun Industry & Trading Co., Ltd is located in Yongkang,Zhejiang, covers an area of 20000m² and more than 150 employees. We are one of a professional manufactory of Design, Research, Production and Sales of ATV, DIRT BIKE , GO KART, SCOOTER, E-ATV, CAMPING WAGON and so on. we believe that "People-oriented, customer first" to constantly improve production technology and improve product quality. Through several years of efforts, our company has passed the inspection of ISO9001, and our products have passed the professional test of CE, EEC, EN131 and so on. Because of the competitive price and steady quality, our products are sold well in Middle East, Southeast Asia, Africa, Europe, Australia, America, and South American and other markets. We believe the service tenet --"High quality and sincere service". Hope our sincere cooperative attitude can meet your requirement, we are looking forward to building long-term business with you.

Sunshine International Trading FZCO is an oversea branch of Zhejiang Lingsun Industry & Trading Co., Ltd. It is located in Dubai, U.A.E. and specialized in ATV, DIRT BIKE , GO KART, SCOOTER,CAMPING WAGON and RELEVANT SPARE PARTS. Thanks to the Chinese manufactory support, we keep our products in steady quality with competitive price. We are one of the biggest wholesalers of ATV in Middle East. Thanks to the Dubai free port, which help us provide better service for customers all over the world.

Products Certification

















MINI ATV



A7-001

Engine:	49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13×5.00-6
Seat height:	49cm
Product size:	102×69×68cm
Packing size:	102×58×47cm
N.W./G.W.:	37/41 kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



A7-006

Engine:	49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13×5.00-6
Seat height:	49cm
Product size:	104×63×71cm
Packing size:	102×58×52cm
N.W./G.W.:	40/44 kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ



A7-011

Engine:	49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product size:	112×63×75cm
Packing size:	102×58×49cm
N.W./G.W.:	44/48 kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



A7-012

Engine:	49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product size:	115×63×71cm
Packing size:	102×58×47cm
N.W/G.W.:	39/43 kgs
Loading Capacity:	110pcs/20GP; 230pcs/40HQ



A7-008

Engine:	49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product size:	105×63×75cm
Packing size:	98×56×44cm
N.W./G.W.:	35/39 kgs
Loading Capacity:	120pcs/20GP;288pcs/40HQ



A7-010

Engine:	49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product size:	115×63×71cm
Packing size:	102×58×47cm
N.W/G.W.:	39/43 kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



A7-013

Engine:	49CC,single cylinder,2-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product Size:	115×63×71cm
Packing Size:	102×58×52cm
N.W./G.W.:	39/43kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



A7-013S

Engine:	49CC,single cylinder,2-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product Size:	115×63×71cm
Packing Size:	104×58×52cm
N.W./G.W.:	39/43kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



E7-001

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH×3(Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13×5.00-6
Seat height:	52cm
Product size:	119×70×77cm
Packing size:	104×62×52cm
N.W./G.W.:	59/69kgs
Loading Capacity:	80pcs/20GP;205pcs/40HQ



E7-010

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH×3(Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13×5.00-6
Seat height:	46cm
Product size:	105×65×69cm
Packing size:	102×58×47cm
N.W./G.W.:	50/56kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



E7-02

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH ×3(Lead-acid battery)
Max speed:	30km/h
Controller:	36V/500W/800W/1000W
Brake(F/R):	Drum/Disc
Tire(F/R):	145/70-6
Seat height:	62cm
Product size:	127×74×85cm
Packing size:	116×66×58cm
N.W/G.W.:	90/106 kgs
Loading Capacity:	54pcs/20GP;136pcs/40HQ



E7-13D

Motor power:	60V1500W
Battery:	12V/12AH×5(Lead-acid battery)
Max Speed:	35-40km/h
Controller:	60V1500W
Brake(F/R):	Drum/ Disc
Tire(F/R):	19×7-8; 18×9.5-8
Product Size:	144×90×95cm
Packing Size:	140×84×60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



E7-011

Motor power:	36V500W/800W/1000W
Battery:	12V/12AH×3(Lead-acid battery)
Controller:	36V500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13×5.00-6
Seat height:	46cm
Product Size:	105×65×69cm
Packing Size:	102×58×52cm
N.W/G.W.:	50/56kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



E7-013

Motor power:	36V500W/800W/1000W
Battery:	12V/12AH×3(Lead-acid battery)
Controller:	36V500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13×5.00-6
Seat height:	46cm
Product Size:	105×65×69cm
Packing Size:	102×58×52cm
N.W/G.W.:	50/56kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



E7-23

Motor power:	60V1500W
Battery:	12V/12AH×5(Lead-acid battery)
Max Speed:	35-40km/h
Controller:	60V1500W
Brake(F/R):	Drum/ Disc
Tire(F/R):	19×7-8; 18×9.5-8
Product Size:	144×90×95cm
Packing Size:	140×84×60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



E7-24

Motor power:	60V1500W
Battery:	12V/12AH×5(Lead-acid battery)
Max Speed:	35-40km/h
Controller:	60V1500W
Brake(F/R):	Drum/ Disc
Tire(F/R):	19×7-8; 18×9.5-8
Product Size:	144×90×95cm
Packing Size:	140×84×60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



E7-12

Motor power:	60V1500W
Battery:	12V/12AH*5(Lead-acid battery)
Max Speed:	35-40km/h
Controller:	60V1500W
Brake(F/R):	Drum/ Disc
Tire(F/R):	19*7-8;18*9.5-8
Product Size:	144*90*95cm
Packing Size:	131*76*60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	33pcs/20GP;108pcs/40HQ



E7-17

Start:	Electric start
Motor power:	72V2000W Brushless
Battery:	12V/20AH(Lead-acid battery)
Brake(F/R):	Hydraulic disc
Tire(F/R):	25×8-12; 25×10-12
Seat height:	85cm
Product Size:	180×111×112cm
Packing Size:	172×90×80cm
N.W./G.W.:	155/180kgs
Loading Capacity:	14pcs/20GP;39pcs/40HQ







A7-02/A7-02M/A7-02AM

Start:	Electric start
Engine:	110/125CC,4-stroke,single cylinder,air cooled
	80CC GY6,4-stroke,single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	145/70-6
Seat height:	62cm
Product size:	125×72×82cm
Packing size:	116×64×59cm
N.W./G.W.:	64/76 kgs
Loading Capacity:	54pcs/20GP;144pcs/40HQ



G7-11E

Start:	Electric Start
Motor:	72V3000W
Drive train:	Shaft
Brake(F/R):	Hydraulic disc/Drum
Tire(F/R):	3.75-12/4.00-12
Product Size:	305×110×170cm
Packing Size:	315×125×190cm
N.W./G.W.:	260/335kgs
Loading Capacity:	14pcs/40HQ



G7-12E

Start:	Electric Start
Motor:	72V3000W
Drive train:	Shaft
Brake(F/R):	Hydraulic disc/Drum
Tire(F/R):	110/90-16/4.00-12
Product Size:	305×110×170cm
Packing Size:	300×110×85cm
N.W/G.W:	180/252kgs
Loading Capacity:	24pcs/40HQ



A7-05

Start:	Electric start
Engine:	110/125CC,4-stroke, single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	69cm
Product size:	144×90×95cm
Packing size:	137×83×62cm
N.W./G.W.:	105/120kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



A7-08

Start:	Electric start
Engine:	110/125CC, 4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	72cm
Product size:	146×88×97cmcm
Packing size:	132×76×60cm
N.W./G.W.:	99/114kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-09

Start:	Electric start
Engine:	110/125CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	151×86×93cm
Packing Size:	131×76×60cm
N.W./G.W.:	110/124kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-11

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	146×88×97cm
Packing Size:	139×76×60cm
N.W./G.W.:	106/123kgs
Loading Capacity:	36pcs/20GP;100pcs/40HQ



A7-13H

Start:	Electric start
Engine:	110/125CC,single cylinder,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	146×88×97cm
Packing Size:	131×76×60cm
N.W./G.W.:	106/122kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-15

Start:	Electric start
Engine:	110/125CC, 4-stroke,single cylinder,air cooled GY6 80CC, electric start and kick start,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16×8-7
Seat height:	64cm
Product Size:	140×89×91cm
Packing size:	126×76×61cm
N.W./G.W.:	84/99 kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-23

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	85cm
Product Size:	180×111×112cm
Packing Size:	146×83×62cm
N.W./G.W.:	102/115kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



A7-13D SPOT

Start:	Electric start
Engine:	110/125CC,single cylinder,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	146×88×97cm
Packing Size:	131×76×60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-14

Start:	Electric start
Engine:	110/125CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	145×94×100cm
Packing Size:	135×96×60cm
N.W./G.W.:	104/116kgs
Loading Capacity:	30pcs/20GP;88pcs/40HQ



A7-24

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	146×88×97cm
Packing Size:	138×76×60cm
N.W./G.W.:	106/123kgs
Loading Capacity:	36pcs/20GP;100pcs/40HQ



A7-24B

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	75cm
Product Size:	146×88×97cm
Packing Size:	138×76×60cm
N.W./G.W.:	106/123kgs
Loading Capacity:	36pcs/20GP;100pcs/40HQ



A7-26

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	85cm
Product Size:	148×95×93cm
Packing Size:	145×85×60cm
N.W./G.W.:	105/120kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



A7-27

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19×7-8;18×9.5-8
Seat height:	85cm
Product Size:	147×93×98cm
Packing Size:	135×86×60cm
N.W./G.W.:	110/125kgs
Loading Capacity:	30pcs/20GP;88pcs/40HQ



A7-25

Start:	Electric start
Engine:	300CC,4-stroke,air cooled,
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	25×8-12;25×10-12
Seat height:	92cm
Product Size:	194×109×91.5cm
Packing Size:	195×114×80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ



A7-25B

Start:	Electric start
Engine:	300CC,4-stroke,air cooled,
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	25×8-12;25×10-12
Seat height:	92cm
Product Size:	194×109×91.5cm
Packing Size:	195×114×80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ



A7-28

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	85cm
Product Size:	146*88*98cm
Packing Size:	132*76*60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-28B

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	85cm
Product Size:	146*88*98cm
Packing Size:	132*76*60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-17 4×2

Start:	Electric start
Engine:	150/200/250CC, engine(4+1) 4stoke, air cooled,Maunal 150/200/250CC, GY6,4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain drive / Shaft drive
Brake(R/F):	Hydraulic disc
Tire(R/F):	25×8-12; 25×10-12
Seat height:	92cm
Product size:	180×111×112cm
Packing Size:	148×84×82cm
N.W./G.W.:	135/158kgs
Loading Capacity:	16pcs/20GP;47pcs/40HQ



A7-17 4×4

Start:	Electric start
Engine:	300CC,4-stroke,oil cooled 150/200/250CC,4-stroke,air cooled,Manual
Ignition:	C.D.I
Drive train:	Shaft drive,4×4
Brake(F/R):	Hydraulic disc
Tire(F/R):	25×8-12;25×10-12
Seat height:	92cm
Product Size:	194×109×91.5cm
Packing Size:	195×110×80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ



A7-29

Start:	Electric start
Engine:	150/200/250CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23×7-10;22×10-10
Seat height:	87cm
Product Size:	177×118×108cm
Packing Size:	165×104×80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



A7-29B

Start:	Electric start
Engine:	150/200/250CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23×7-10;22×10-10
Seat height:	87cm
Product Size:	177×118×108cm
Packing Size:	165×104×80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



G7-01

Start:	Electric Start
Engine:	125CC,1+1,4-stroke,air cooled,single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(R):	Hydraulic disc
Tire(F/R):	145/70-6;16×8-7
Seat height:	30cm
Product Size:	167×102×119cm
Packing Size:	169.5×76×58cm
N.W./G.W.:	124/149kgs
Loading Capacity:	30pcs/20GP; 84pcs/40HQ



G7-02

Start:	Electric Start
Engine:	125/150CC,4-stroke☒air cooled☒single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	16×8-7
Seat height :	40 cm
Product Size:	198x136x137cm
Packing Size:	170x115x60cm
N.W./G.W:	150/177kgs
Loading Capacity:	18pcs/20GP; 56pcs/40HQ



A7-30

Start:	Electric start
Engine:	150/200/250CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23×7-10;22×10-10
Seat height:	87cm
Product Size:	177×118×108cm
Packing Size:	165×104×80cm
N.W./G.W.:	175/204kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



A7-32

Start:	Electric start
Engine:	150/200/250CC GY6,oil cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21×7-10/22×10-10
Seat height:	95cm
Product Size:	183×117×132cm
Packing Size:	167×97×82cm
N.W./G.W.:	150/173kgs
Loading Capacity:	14pcs/20GP;42pcs/40HQ



G7-03

Start:	Electric start
Engine:	110/125CC,4-stroke, Single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(R):	Hydraulic disc
Tire:	145/70-6
Seat height :	30cm
Product Size:	167×102×119cm
Packing Size:	161×82×49cm
N.W./G.W.:	94/118kgs
Loading Capacity:	28pcs/20GP; 70pcs/40HQ



G7-03E

Start:	Electric start
Motor power:	60V/1500W brushless motor
Battery:	12V/20AH Lead Acid battery ×5pcs
Drive train:	Shaft
Brake(R):	Hydraulic disc
Tire(F/R):	145/70-6
Seat height:	30cm
Product Size:	167×102×119cm
Packing Size:	161×82×59cm
N.W/G.W:	128/152kgs
Loading Capacity:	21pcs/20GP; 56pcs/40HQ



G7-05

Start:	Electric start
Engine:	125CC,4-stroke, air cooled, single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	16×8-7
Seat height :	40cm
Product Size:	198×136×137cm
Packing Size:	183×115.5×64cm
N.W./G.W:	157/177kgs
Loading Capacity:	18pcs/20GP; 48pcs/40HQ

GO KART



G7-07

Start:	Electric start
Engine:	125/150CC,4-stroke,air cooled,single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	18×7.00-8
Seat height :	57cm
Product Size:	207×105×96cm
Packing Size:	196×115.5×52cm
N.W./G.W:	170/200kgs
Loading Capacity:	24pcs/20GP; 58pcs/40HQ



G7-07E

Start:	Electric Start
Motor power:	60V1500W
Battery:	12V20AH/32AH×5
Drive train:	Shaft
Brake(F/R):	Hydraulic disc
Tire(F/R):	18×7.00-8
Seat height:	57cm
Product Size:	207×105×96cm
Packing Size:	196×115.5×64cm
N.W./G.W.:	180/200kgs
Loading Capacity:	18pcs/20GP;48pcs/40HQ



G7-001

Start:	Pull start
Engine:	63CC,4-stroke;air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(R):	Hydraulic disc
Tire(F/R):	4.10-6
Seat height:	20cm
Product Size:	127×90.5×55cm
Packing Size:	95×57×40cm
N.W/G.W:	40/44kgs
Loading Capacity:	120pcs/20GP;300pcs/40HQ



G7-005E

Start:	Electric start
Motor power:	48V/1200W brushless motor
Battery:	48V/10.4AH Lithium battery
Brake(R):	Hydraulic disc
Tire(F/R):	19×7-8
Seat height:	30cm
Product Size:	145×103×80cm
Packing Size:	91×51×27cm
N.W./G.W.:	74/80kgs
Loading Capacity:	120pcs/20GP;300pcs/40HQ



G7-08

Start:	Electric start
Engine:	150/200CC, 4-stroke,air cooled, single cylinder
Ignition:	C.D.I
Drive train:	CVT(with back gear)
Brake(F/R):	Hydraulic disc
Tire(F/R):	21×7-10;22×10-10
Seat height :	52cm
Product Size:	225×151×164cm
Packing Size:	231×131×63cm
N.W./G.W.:	255/285kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ



G7-09

Start:	Electric start
Engine:	150CC/200CC,4-stroke,air cooled,single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21×7-10;20×10-10
Seat height :	52cm
Product Size:	225×126×140cm
Packing Size:	232×126×83cm
N.W./G.W.:	245/265kgs
Loading Capacity:	8pcs/20GP; 36pcs/40HQ



E7-207

Motor power:	60V/1500W（Brushless motor）
Battery:	60V/20A/26A/30A(Lithium)
Controller:	60V/1500W
Brake:	Hydraulic disc
Tire(F/R):	70/100-17;90/100-14
Product Size:	180×40×120cm
Packing Size:	172×32×100cm
N.W/G.W:	60/70kgs
Loading Capacity:	42pcs/20GP；84pcs/40HQ



E7-209

Motor power:	48V/1000W（Brushless motor）
Battery:	48V/13A/15A/18A(Lithium)
Controller:	60V/1500W
Brake:	Hydraulic disc
Tire(F/R):	10"
Product Size:	150×40×80cm
Packing Size:	145×32×70cm
N.W/G.W:	47/54kgs
Loading Capacity:	84pcs/20GP；192pcs/40HQ

DIRT BIKE



P7-01

Start:	Pull start/Electric start
Engine:	49CC,single cylinder,2-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	90/65-6.5 / 110/50-6.5
Seat height:	47 cm
Product Size:	104×50×58 cm
Packing Size:	99×32×58 cm
N.W./G.W.:	18/21 kgs
Loading Capacity:	136pcs/20GP;370pcs/40HQ



D7-05

Start:	Pull start/Electric start
Engine:	49CC Single Cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product size:	122×63×80cm
Packing size:	108×32×52cm
N.W/G.W.:	22/25 kgs
Loading Capacity:	148pcs/20GP;368pcs/40HQ



D7-12

Start:	Electric start & Kick start
Engine:	110/125CC, single cylinder,4-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	60/100-14;80/100-12
Seat height:	76cm
Product size:	156×68×97cm
N.W/G.W.:	55/66kgs
Loading Capacity:	87pcs/20GP;200pcs/40HQ



D7-13

Start:	Electric start&Kick start
Engine:	150CC, single cylinder,4-Stroke, air cooled
Ignition:	C.D.I
Drave train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	70/100-17;90/100-14
Seat height:	85cm
Product size:	170x71x110cm
Packing size:	152x38x75cm
N.W/G.W.:	75/89 kgs
Loading Capacity:	63pcs/20GP;135pcs/40HQ



E7-205

Start:	Electric start
Motor power:	24V/36V 350W(Brush)
Battery:	12V/12AH ×2pcs(×3pcs)
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product size:	125×63×80cm
Packing size:	112×32×53cm
N.W./G.W.:	28.5/32 kgs(35/38.5kgs)
Loading Capacity:	140pcs/20GP;358pcs/40HQ



E7-206

Start:	Electric start
Motor power:	24V/36V 350W(Brush)
Battery:	12V/12AH×2pcs(×3pcs)
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product Size:	125×63×80cm
Packing Size:	112×31×54cm
N.W/G.W:	22/25kgs
Loading Capacity:	140pcs/20GP;330pcs/40HQ



D7-16

Starting:	Electric start & kick start
Engine:	110/125CC single cylinder,4 storke
Brake(F/R):	Hydraulic disc
Tire (R/F):	90/100-14(14") / 70/100-17(17")With steel hub
Muffler:	Aluminum muffler
Absorber:	inverted fork,rear absorber with inner gasbag
Product size:	170×71×110cm
Packing Size:	153×43×72cm
N.W/G.W:	78/89kgs
Loading Capacity:	55pcs/20GP;133pcs/40HQ



D7-18

Starting:	Electric start& kick start
Engine:	110/125CC, 4-stroke, air cooled
Brake(F/R):	C.D.I
Tire (R/F):	Chain
Muffler:	All Hydraulic disc
Absorber:	60/100-14(14");80/100-12(12")
Product size:	170×80×105cm
Packing Size:	136×38×70cm
N.W/G.W:	78/98kgs
Loading Capacity:	75pcs/20GP;175pcs/40HQ