



ZHEJIANG JIANFENG SMART TECH CO.,LTD
JIANGSU JIANFENG IMPORT AND EXPORT CO.,LTD

- 📍 Add: Building 5, No. 529 Cangling Road, Huzhen Town, Jinyun County, Lishui City, Zhejiang Province
- ✉ Email: vivian@ycjianfeng.com
- 🌐 Web: www.ycjianfeng.com
- 📞 Mobile/Wechat/Whatsapp: +86 13758990304
- 📘 Facebook/LinkedIn: [vivian@ycjianfeng.com](https://www.facebook.com/vivian@ycjianfeng.com)



HOME APPLIANCE CATALOG

Practical Solutions for Daily Life



FOR NOTED

CONTENTS

1、Company Introduction	1-2
2、Window Cleaning Robot	3-6
3、Steam Cleaner	7-8
4、Carpet Vacuum Cleaner	9-10
5、Heater	11-12
6、Oil-filled Radiator	13-14
7、Garment Steamer	15-16
8、Vacuum Cleaner	17-18
9、Violent Fan	19-20
10、Water Bottle Pump	21-22
11、Shoe Dryer	23-24
12、Dehumidifier	25-26
13、Salad Maker	27-28
14、Meat Grinder	29-30
15、Barbecue Utensils	31
16、Peeling Machine	32



COMPANY INTRO

ZHEJIANG JIANFENG

Zhejiang Jianfeng Smart Tech Co., Ltd. was founded on January, 2016, and is located in Lishui City, Zhejiang Province, with a factory area of 20,000 m2. As a modern manufacturing enterprise integrating independent R&D, large-scale production, and global sales, our company has built a well-established integrated operation system covering design, procurement, quality control, international business, and after-sales service. It is equipped with a full-process production line encompassing injection molding, motor production, finished product assembly, and packaging.

At present, the company boasts diversified and mature product lines. Its core products cover two mature categories: power tools and garden tools. It has also launched a home appliance production line, further expanding its product matrix and providing more comprehensive lifestyle solutions for global customers.

The company fully supports OEM and ODM customization services. Based on customers' individual needs, it provides one-stop customization solutions. In terms of quality and compliance, the company has obtained multiple international authoritative certifications including CE, EMC, ISO9001, and ISO14001, safeguarding product quality with a strict quality management system.

Zhejiang Jianfeng Smart Tech Co., Ltd. always adheres to technology innovation as its driving force, quality as its lifeline, and customer focus as its core, committed to becoming a trusted smart technology manufacturing partner for global customers.

COMPANY INTRO



JIANGSU JIANFENG

Jiangsu Jianfeng Import & Export Co., Ltd. was founded on March, 2019, located in Yancheng City, Jiangsu Province. It is a comprehensive international trade enterprise specializing in import and export business. The company provides international trade supporting services including sourcing, import and export trading, order agency, transaction verification and factory audit.

To ensure transaction security in international trade, the company has introduced a professional credit insurance mechanism, which effectively mitigates trade risks and stabilizes transaction procedures, delivering reliable risk protection for every order. Owing independent brands, we keep exploring global brand agency cooperation resources to continuously enrich our global product range.

With stable supply chain resources and well-established overseas channels, our business covers more than 30 countries across Europe, South America, Central Asia and other countries. We have been providing professional, efficient and secure import and export services for customers worldwide, and continuously building a robust, diversified and international trade cooperation system.

Warmly welcome to visit and negotiate.





JFWCR001

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Adapter voltage: 24 V, 3.0 A
Rated power: 72 W
Drawing power: 2300-2500 Pa
Cleaning speed: 4 minutes per square meter
Built-in battery: 500 mAh
Nozzle : 2 nozzle
Water tank: 38 ml × 2
Brushless motor



JFWCR004

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor type : Brushless motor
Nosie (dBA) : 65-70 dBA
Power : 72W
No load speed : 26000rpm±10%
Suction Power : 2800-3000 Pa
Cleaning speed : 3min/m²
Water spray : YES
Nozzle : 2 nozzle
Auto cleaning : YES
Capacity : 650 mAh
Absorb time: 30 mins
Water tank capacity: 50ml



JFWCR002

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Adapter voltage: 24 V, 3.0 A
Rated power: 72 W
Drawing power: 2300-2500 Pa
Cleaning speed: 4 minutes per square meter
Built-in battery: 500 mAh
Nozzle: NO
Motor: Brushless motor



JFWCR005

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor type : Brushless motor
Nosie (dBA) : 70 dBA
Power : 90W
No load speed : 12600rpm±10%
Suction Power : 5600 Pa
Cleaning speed : 4min/m²
Water spray : YES
Nozzle : 1 nozzle
Auto cleaning : YES
Capacity : 500 mAh
Absorb time: 30 mins
Water tank capacity: 50ml



JFWCR003

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Adapter voltage: 24 V, 3.0 A
Rated power: 72 W
Drawing power: 2300-2500 Pa
Cleaning speed: 4 minutes per square meter
Built-in battery: 500 mAh *
Water tank: 38 ml
Nozzle : 1 nozzle
Brushless motor



JFWCR006

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor type : Brushless motor
Nosie (dBA) : 75-78 dBA
Power : 72W
No load speed : 26000rpm±10%
Suction Power : 2800-3000 Pa
Cleaning speed : 3min/m²
Water spray : YES
Nozzle : 2 nozzle
Auto cleaning : YES
Capacity : 500 mAh
Absorb time: 30 mins
Water tank capacity: 60ml



JFWCR007

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor type : Brush motor
Nosie (dBA) : 75-78 dBA
Power : 72W
No load speed : 26000rpm±10%
Suction Power : 2800-3000 Pa
Cleaning speed : 3min/m²
Water spray : YES
Nozzle : 2 nozzle
Auto cleaning : YES
Capacity : 500 mAh
Absorb time: 30 mins
Water tank capacity: 60ml



JFWCR008

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor type : Brushless motor
Nosie (dBA) : 65 dBA
Power : 72W
No load speed : 16000rpm±10%
Suction Power : 2800-4000 Pa
Cleaning speed : 4min/m²
Water spray : YES
Nozzle : 4 nozzle
Auto cleaning : YES
Capacity : 500 mAh
Absorb time: 30 mins
Water tank capacity: 100ml



JFWCR009

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor type : Brushless motor
Nosie (dBA) : 65-70 dBA
Power : 72W
No load speed : 26000rpm±10%
Suction Power : 2800-3000 Pa
Cleaning speed : 3min/m²
Water spray : YES
Nozzle : 2 nozzle
Auto cleaning : YES
Capacity : 650 mAh
Absorb time: 30 mins
Water tank capacity: 100ml

Smart Window Cleaning Robot

·Strong Suction

·Auto Water Spray

·Edge Cleaning

·Quiet Operation



JFSC001

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Standard: 1500W
Water Tank Capacity: 1200ml
Accessories:
1PC Brass Brush
1 PC NylonBrush
1PCLarge Nylon Brush
1 Extended SprayerRod
1 windowscraper
1 window towel
1 Steam shovel



JFSC002

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 1500W
Speed class:6
Plastic material: ABS
Capacity: 1400ml
Steam temperature :120°
Pressure: 3BAR
Heating time:15s
Steam working time: 20-25mins
Shaft length:1.6m
Length of cable: 1.5m



JFSC003

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Heating time:15s
Steam working time: 20-25mins
Shaft length: 2.2m
Length of cable: 1.5m
Machine size: 20*15.5*16cm
Machine weight: 1.7kg
Box packing size: 29cm*20cm*16.5



JFSC004

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:1500W
Speed class:6
Plastic material: ABS
Capacity: 1400ml
Steam temperature :120°
Pressure: 3BAR
Heating time:15s
Steam working time: 20-25mins
Shaft length:1.6m
Length of cable: 1.5m

KITCHEN



BATHROOM



LIVING ROOM



CAR INTERIOR



10FT
TOTAL REACH

More Distance
More Convenience



Long Hose
Extended Cleaning
Without Limits



Multi-Surface
Floors, Sofas,
Counters & More



Powerful Steam
DeepClean
WithoutChemicals



Lightweight
Easy to move
Anywhere



JFSC005

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 1250W
Boiler Capacity: 1.2 L (fill water 1L)
Steam Pressure: 3 bar
Unit Size: 34.8×19.8×23.5cm
color box: 59.5×27.5×25.5cm
2pcs/ctn: 61.5x57x27.5cm



JFCVC001
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Suction power:18kPa
Total rated power: Motor 600W
RPM: 40000
Clean Water Capacity: 2300ML
Waste Water Tank Capacity: 1200ML
Hose Length: 1.25M
Power Cord Length: 3M
Noise: ≤85dB
Water proof level: IPX4
Life time: ≥300h



JFCVC005
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 450W
Maximum suction power:≥13Kpa
Maximum air volume: ≥10l/s
Maximum power: ≥40w
Maximum efficiency: ≥10%
Sound power noise: ≤83dB(A)
Motor lifespan: 300hr
Protection level: IPX4
Fresh water tank capacity: 1000ml
Wastewater tank capacity: 500ml



JFCVC002
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 650W
Vacuum:12-15Kpa
Maximum capacity of clean water tank: 1400mL
Maximum capacity of sewage tank: 1200ml
Unit Size: 330L*250W*335H mm
color box: 426*291*365mm



JFCVC006
Voltage: 110/220V
Frequency: 50Hz/60Hz
Power: 1800W(1200W Boiler +600W Heater)
Cleaning Water Tank: 1800ML
Dirty Water Tank: 1000ML
Cold Water/Hot Water flow rate: 400g/min±10%
Hot Water Temperature: 50°C±5°C
Steam Temperature: ≥100°C
Preheating time:30s
Length of Power Cord: 4.85M Visible
Length of Hose: 1.4 M Visible
Suction: ≥14Kpa



JFCVC003
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Rated Input Power:500W
Capacity of clean water tank:1000ml
Capacity of dirty water tank:600ml
Length of power cord: 4.85M visible
Hose assembly length:1.7±0.1M Visible



JFCVC004
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 1350W
Vacuum:12-15Kpa
Maximum capacity of clean water tank: 1400mL
Maximum capacity of sewage tank: 1200ml
Unit Size: 370L*250W*335H mm
Gift box: 445×325×382MM



JFCVC007
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:500W
Vacuum:13Kpa
Cable:4M
Cleaning tank Capacity:1.5+0.8L
Material: PP/ABS
Airflow:0.8m³/min
1.3m hose
1pc spray nozzle
1pc self clean nozzle



JFH001

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Convactor Heater 2000W
H05VV-F 3G1.0mm², length in 2M (including plug)
Special cable tie for supply cord



JFH002

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Convactor Heater 1500W
Wire heating element
3 power select: 650/850/1500W
Adjustable thermostat
Safety overheating protection
Carry handle
Free standing only
Cable: 0.75mm², length in 1.2M



JFH003

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 1000W
VDE Plug
Adjustable thermostat
Overheat protection
Freestanding
Movable castor
Heating element: heating wire



JFH004

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 600W/800W/1000W
Heating element: tubular electric heater
Connection: Wires with crimped ends
Infrared heater
Brackets for mounting to the ceiling and to the device
Size: 100*16*6cm/120*16*6cm/130*16*6cm

- Low noise
- Constant temperature
- Ideal for homes





JFOFR001
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 1500W
3 heat settings
Adjustable thermostat control
Overheat protection system
Indicator lights
Pressure tested for safety
Smooth castors for easy movement
With cord storage
5/7pieces



JFOFR005
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 700W
One heat settings
Adjustable thermostat control
Overheat protection system
Pressure tested for safety
Without tip-over switch
1pc/colorbox
7pieces



JFOFR002
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 2000W
3 heat setting
Adjustable thermostat contro
Overheat protection system
Indicator lights
Pressure tested for safety
Smooth castors for easy movement
With cord storage
9pieces



JFOFR006
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 1000W
One heat settings
Adjustable thermostat control
Overheat protection system
Pressure tested for safety
Without tip-over switch
1pc/colorbox
9pieces



JFOFR003
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 2500W
3 heat settings
Adjustable thermostat control
Overheat protection system
Indicator lights
Pressure tested for safety
Smooth castors for easy movement
With cord storage
11pieces



JFOFR004
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 500W
One heat settings
Adjustable thermostat control
Overheat protection system
Pressure tested for safety
Without tip-over switch
1pc/colorbox
5pieces





JFGS001

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:2000W
Water tank: 1.8L
Heating time:45s
Steam rate: 30g±5g/min
Working time:60 minutes
Single Aluminum Rod
Accessories: Hanger,Gloves,Trouser clips.



JFGS002

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:2000W
Water tank: 2.5L
Heating time:45s
Steam rate: 29g/min
Working time:75 minutes
Single Aluminum Rod
Accessories: Hanger,Gloves.
optional: Spray paint



JFGS003

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 900W
isoleplate:Aluminum, Non-stick
Water tank :70ml
Heating time :30s
Steam rate:153g/min
NW./GW. 0.6/0.75KG/PC
Giftbox size 23*14*9.5CM
Carton size 71*58*11CM/12PCS
20GP/7416pCs 40HC/18000pCs



JFGS004

Voltage:110/220V
Frequency:50/60Hz
Main Material:ABS
Gear position:1
Water tank capacity:300ML
Warm-up time:20s
Steam temperature:150°
Fog output:22 grams
Filling with water:about 14mins
N.W.:0.76kg

Garment Steamer



**Fresh Clothes,
Anytime**

Compact & Lightweight

Fast Heat-Up

Wrinkle-Free



JFVC003

Plastic material: ABS
Voltage: 7.4V
Power: 50W
Capacity: 2000mAh*2
Suction Power: 4000PA



JFVC004

Model: Wireless 7.4V 2*2000mah 4500pa
Model: Wireless 12V 3*2000mah 5500pa
Model: High-speed brushless 12V 3*2000mah 12000pa
Charging method: Type-C
Charging current: 5V 1A
Usage time: 15-20 minutes (depending on battery capacity)
Maximum current: 6A
Accessories:
Long straw *1 + Long straw brush *1 + Floor nozzle *1
+ Type-C charging cable *1



JFVC005

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Motor: 700W
Filter: filter element/Micro filter cotton
Vacuum: 15kpa
Dust Capacity: 2.5L (for reference)
Power Cord: 5.0M Power Cord in total
Hose length: 1.5M
Noise: 85dB
Color: Injection color
Use Type: Dry Function



JFVC001

Color: Injection color
Nominal power: 100W
Vacuity H: $\geq 7\text{Kpa}$ L: 4Kpa
Battery: 11.1V
Battery capacity: 2000mAh
Noise: $\leq 69.5\text{dB(A)}$
Working Hours: 14MIN(H)/21MIN(L)
Charging time: 3.6H
Speed control: 2
Dust capacity: 0.5L
Airflow rate: $\geq 0.76\text{M}^3/\text{MIN}$



JFVC002

Color: Injection color
Nominal power: 350W
Vacuity: $\geq 12\text{Kpa}$
Battery capacity: 2000mAh
Noise: $\leq 70.6\text{dB(A)}$
Speed control: 2
Dust capacity: 0.5L
Airflow rate: $\geq 0.6\text{M}^3/\text{MIN}$



JFVF001

Motor type : Brushless DC high-speed motor
 Battery capacity: 21700 4000mah*2 7.4V
 Color: All black (neutral)
 Voltage: 8.9V-12.6V
 Charging time: ≤4H
 Battery life: I 80min, II 35min、III 26min
 Blowing rate: I 30g II 65g III 125g
 Charging port: 5V/2A、TYPE-C
 Color box size: 195*142*46mm 530g±5g、30pcs/ctn
 On/off switch/gear settings: Three-gear adjustment

JFVF002

Motor type : Brushless DC high-speed motor
 Battery capacity: 18650 2000mah*2 7.4V
 Color: All black (neutral)
 Voltage: 8.9V-12.6V
 Charging time: ≤2.5H
 Battery life: I 60min/ II 30min / III 20min
 Blowing rate: I 25g II 70g III 100g
 Charging port: 5V/2A、TPYE-C
 Color box size: 195*142*46mm 530g±5g
 Packaging: 442*400*428mm
 G.W.17kg 30pcs/ctn
 On/off switch/gear settings: Three-gear adjustment

JFVF003

Motor type : High-speed brushless motor 29 motor
 Material: Aluminum alloy + ABS
 Battery capacity: 18650、2000mah*4、14.8V
 Voltage: 12.1V-16.6V
 Charging time: <4.5H
 Battery life: low speed 150min/high speed 12min
 Rated power/speed:
 low 18w 40000RPM±10%
 high 160w 130000RPM±10%
 Blowing rate: low speed10g、high speed160g
 Charging port: DC 5V/2A、DC 9V/2A、TPYE-C
 On/off switch/speed setting: Stepless speed regulation
 Machine size: 11*3.5*19.5cm

JFVF004

Motor type: Brushless DC high-speed motor
 Battery capacity: 21700 4000mah*2 7.4V
 Color: All black (neutral)
 Voltage: 6.1V-8.4V
 Charging time: ≤3.5H
 Battery life: I 110mins/ II 38mins / III 22mins / Storm mode: 15 mins
 Rated power/speed: I 15W 40000RPM±10%
 II 50W 75000RPM±10%
 III 115W 110000RPM±10%
 High-power mode : 220W 130000RPM ±10%
 Blowing rate: I 25g II 70g III 140g high-power mode 190g
 Blowing speed: I 16M/s II 26M/s III36M/s high-power mode 46m/s
 Charging port: 5V/2A、TPYE-C
 On/off switch/gear settings: Three-gear adjustment + high-power mode

JFVF005

Motor type: High-speed brushless motor (29 motors)
 Material: ABS
 Battery capacity: 18650、2500mah*3、11.1V
 Voltage: 8.74V-12.2V
 Charging time: DC 5V2A ≤3.5H DC 9V2A ≤2H
 Battery life: I 80 mins、II 37mins、III 17mins
 Rated power/speed:
 I 15w 45000RPM±10%
 II 40w 65000RPM±10%
 III 180w 130000RPM±10%
 Blowing rate: I 25g、II 60g、III 200g±10g
 Charging port: 5V2A、9V/2A、TPYE-C
 On/off switch/gear settings: Three-gear adjustment



JFWBP001

Rated Voltage: 5V
Rated Power: 5W
Body Dimensions: 100*62*110
Function: Continuous Water Pumping
Battery: 400 milliampere lithium battery / Android charging
Color: White/Black
Material: PP shell
Net Weight: 130G
Gross Weight: 180G



JFWBP004

Rated Voltage: 5V
Rated Power: 6W
Body Dimensions: 125*66*125MM
Battery Capacity: 1200 milliampere/Type-C
Functions: Dual pumps/200ML/800ML/1200ML/
Continuous water extraction, two buttons
Colors: Black/White/Customizable
Material: ABS shell
Net Weight: 245G
Gross Weight: 322G



JFWBP002

Rated Voltage: 5V
Rated Power: 6W
Body Dimensions: 150*72*135MM
Functions: Dual pumps /
Continuous water extraction / 0.3L quantitative / 1L
Battery: 1200 milliampere lithium battery / Type-C charging
Colors: White / Black / Blue / Red
Material: PP shell
Net Weight: 283G
Gross Weight: 362G



JFWBP005

Rated voltage/frequency: 5V
rated power: 5W
Body size: 143*65*140MM
Battery: 1200 milliampere/Type-C
Functions: With power display, water output display,
the body button pops out the water outlet,
and the water output volume can be selected as
200ML/600ML/800ML/continuous pumping
Color: Black gold/Black silver/Black purple/
White gold/White silver/White purple/Customizable
Material: ABS
Net weight: 230G
Gross weight: 312G



JFWBP003

Rated Voltage: 5V
Rated Power: 5W
Body Dimensions: 198*146*290MM
Functions: Quantitative 0.3L/1L
Continuous Water Extraction for 180 Seconds,
Continuous Operation/Work Indicator Light/304 Outlet Pipe
Battery: 800 mAh Lithium Battery/Type-C Charging
Color: White/Black
Material: PP Shell
Net Weight: 326G
Gross Weight: 400G



JFWBP006

Rated Voltage/Frequency: 5V
Rated Power: 6W
Dimensions: 93*80*145mm,
Material: ABS
Battery: 1200mAh / Type-C
Features: 0.3/1L/1.5L measurement,
continuous water flow with night light / dual outlet
380 high-power pump, approximately 3L/min
Color: White / Black
Net Weight: 273g
Gross Weight: 334g



JFSD001

Drying time (hours):1 hour- 2hour- 3hour- 4hour
 RatedVoltage: 220V
 RatedPower: 50HZ~110W
 ProductSize: 25*17*26cm
 Fever: 45~60°
 Powercordlength: 1.1M
 Material: ABS



JFSD002

Power source:Mains-powered
 RatedVoltage: 220V
 RatedPower: 50HZ~12W
 ProductSize: 18×9X9cm
 Fever: 45~60°
 Powercordlength: 1.1M
 Material: PP



JFSD003

Power source:Mains-powered
 RatedVoltage: 220V
 RatedPower: 50HZ~12W
 ProductSize: 18×9X9cm
 Fever: 45~60°
 Powercordlength: 1.1M
 Material: PP




JFSD004

Drying time (hours):4 hour-8 hour-12 hour
 RatedVoltage: 220V
 RatedPower: 50HZ~24W
 ProductSize: 23.5*6.5*3
 Fever: 45~60°
 Powercordlength: 1.1M
 Material: PP+ABS

Shoe Dryer

- Warm Air Drying
- Dehumidification
- Deodorization



Fast Drying



Dehumidification



Deodorization



All-Season Use





JFD001

Type: Peltier Dehumidifier
Voltage: AC100-240V 50-60Hz
Power: 70W
Noise: 45dB, sleep $\leq$ 40dB
Timerg: 8H/12H/24H
Water tank capacity: 2.2L
Dehumidifying capacity: 750mL/D(30°C 80%RH) $\pm$ 10%
Working Temperature:20°C-50°C
Coverage Area: 5m²-25m²



JFD002

Type: Refrigeration Dehumidifier
Voltage: AC100-240V 50-60Hz
Power: 36W
Noise level:: <45dB, sleep <40dB
Water tank capacity: 1000ml
Dehumidify Capacity: 350ml/day (30°C 80%RH)
Operating temperature: 20°C-50°C (68°F-122°F)
Coverage Area: 5m²-15m²



JFD003

Type: Peltier Dehumidifier
Voltage: AC 100-240V 50-60Hz
Rated Power: 40W
Noise: $\leq$ 42dB , sleep $\leq$ 32dB
Gear: Low,Medium, High
Water tank capacity: 1000ml
Dehumidify Capacity: 300ml/D (30°C 80%RH)
Applicable area: 5-26m²
Full Water Shutdown: Yes
Working Temp: 5°C-50°C



JFD004

Dehumidification capacity:
US : 18°C/60%:3.8L (8 pints)
AS : 27°C/60%:6L
EU/CN: 30°C/80%:12L
Water tank capacity: 2.5L
Refrigerant type: R290
Power: 280W
Noise : 45dB
Suitable area : 20-25m²
Free customizable options: Child Lock, Dry Mode



JFD005

285ml/D semiconductor dehumidifier
With 1000ml visible water tank
With 'Full Tank' reminder
With Multi ambient lights
With handle
With Washable filter
Power: 40W
Rated votltage: 12V
Suitable area : 10-15m²
Noise: 38dB
Working temperature 5-40°C



JFD006

230ml/D semiconductor dehumidifier
With 900ml visible water tank
With 'Full Tank' reminder
With Multi ambient lights
Power: 23W
Rated votltage: 10V
Suitable area : 10-15m²
Noise: 36dB
Working temperature 5-40°C



JFD007

500ml/D semiconductor dehumidifier
With 2000ml visible water tank
With Timer
With 'Full Tank' reminder
With Multi ambient lights
With physical dehumidification module, can be single use
Power: 48W
Rated votltage: 20V
Suitable area : 10-15m²
Noise: 38dB
Working temperature 5-40°C



JFSM001

Voltage: 110V/220V
Frequency: 50Hz/60Hz
DC motor with EMC
Rated power: 100W
Push-button on/off design
Large feeding mouth design for big size food
Patented safety switch on pusher
Overheating protection
Long vegetable feeding tube inserted on pusher
6 types of blades: slicing*2pcs, shredding*2pcs
fine shredding*2pcs, wave slicing*2pcs
cheese grating*2pcs, cubic cutter*1pc



JFSM002

Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:200W(CE)
ABS Plastic body with injection color
Big mouth chute
One speed control for easy operate
Non-slip rubber feet
Quick prepare food, cut and chop ingredients efficiently
with blades storage box
CE,LFGB standard, with VDE plug



JFSM003

Six-in-OneSalad maker
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:150W
Motor Model: DC5712 pure copper motor with safety switch
Product Material: AS
Power Cord/Plug: 2*0.5 pure copper power cord with European plug
Six-in-One Blade Set Type/Material: Dicing, slicing, coarse shred
fine shred, potato chips, grinding
Packaging Description: 3-layer color box with foam
5-layer outer box, manual, power label



JFSM004

Seven-in-OneSalad maker
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power:150W
Motor Model: DC5712 pure copper motor with safety switch
Product material: AS
Power cord/plug: 2*0.5 pure copper power cord with European plug
7-in-1 blade set type/material: dicing, slicing, coarse shredding, fine shredding, French fries, chips, grinding
Packaging details:
3-layer color box with foam, 5-layer outer box, manual, power sticker



JFSM005

Six-in-OneSalad maker
Voltage: 110V/220V
Frequency: 50Hz/60Hz
Power: 70W
6sets (2pcs each set) stainless steel blades (shredding, slicing, cheese grating etc....)
Detachable knife holder for easy cleaning and change blades
Big size feed port
The exposed length of the power cord is 1.0M
Color box+kraft paper double tile outer box packaging





JFMG001

Motor: Rated/Locked Power: 350/800W, 7620 copper-clad aluminum dual-speed motor
 1 stainless steel cross-cutting knife
 3 metal knife blades (3mm, 5mm, 7mm)
 1 food stopper rod, sausage nozzle, cookie cutter
 Aluminum bowl pan
 Snowstorm caliber cutting tool, transparent push rod
 Standard five sets of blades (3mm shredding, 5mm shredding, slicing, wavy slicing, grinding powder)
 Standard European standard plug copper-clad aluminum power cord with exposed 0.8 meters
 1 complete machine with 1 layer of 5-inch plastic card



JFMG002

Motor: Rated/Locked Power: 350/800W, 7620 copper-clad aluminum
 Cast aluminum seven-piece assembly/ nuts
 Plastic square plate, electroplated front cover base painted.
 1 stainless steel cross knife * 1, 3 iron base knife plates 3/5/7mm
 1 food plug rod/ sausage nozzle/ cookie kit
 Standard European plug copper power cord exposed 2 meters
 1 complete machine packaged in 1 3-layer color box, plus 5-layer outer box for 6 units
 3 buckets of cutting accessories



JFMG003

Motor: Rated/Locked Power: 350/800W, 7625 copper-clad aluminum
 Cast aluminum seven-piece assembly / nuts / square plates
 1 stainless steel cross-cutting knife * 1, 2 iron base knife blades 5/7mm
 1 food plug rod / sausage tube / cookie kit
 Standard European plug copper power cord exposed 0.8 meters
 1 complete machine packed in 1 three-layer color box, plus 5-layer outer box



JFMG004

Motor: Rated/Locked Power: 250/700W, 6330 copper-clad aluminum
 Cast aluminum seven-slot housing / nut
 Plastic hopper
 Stainless steel cross-cutting knife *1
 1 iron base knife plate 5mm thick
 1 food stopper rod, for cookies, sausage nozzle
 Standard European plug copper-clad aluminum power cord exposed 0.8 meters
 1 complete machine packed in 1 three-layer color box, plus 5-layer outer box, 6 units packed together



JFMG005

Motor: 4438 pure copper DC motor, 400W
 European standard power cord, with a length of 1 meter
 SS 5L bowl
 Bowl lid: PS transparent bowl lid
 Packaging: One colored box + One outer box for the case
 The product is coated with matte-colored paint.
 The logo is printed on the product bowl.
 Egg white separator, dumpling mold, dough scraper.

•Powerful •Versatile •Safe



Electric Barbecue Utensils


JFBU001

Rated Voltage: 7.4V
Rated Input Power: 19.24W
Battery: 251P 18650 Lithium-ion Battery, 7.4V 1500mAh
Working Time: Up to 130 mins (Max Speed, LED On, No-Load)
No-Load Speed:
Level 1: 500 r/min
Level 2: 800 r/min


JFBU002

Reinforced PP
Scraper Blade: 304 Stainless Steel
Wire Cloth: 430 Stainless Steel
Aramid High Temperature Resistant Thread
Double Spring Quick Release Structure

Peeling machine

JFPM001

Aluminum alloy body
Effortless Peeling & Wide Fruit Compatibility & Simple to Clean
304stainless steel blade
pp plastic handle