

All posters and product drawings are copyrighted by Sharply. Appearance and parameters are for reference only. Our company reserves the right of final interpretation. Information is subject to change without further notice.



ZHEJIANG JIANFENG SMART TECH CO.,LTD
YANCHENG JIANFENG ELECTRIC MOTOR INSTRUMENT CO.,LTD
JIANGSU JIANFENG IMPORT&EXPORT CO.,LTD

Addr: Building 5, No. 529, Cangling Road, Huzhen Town, Jinyun City, Zhejiang Province

Email: vivian@ycjianfeng.com

Tel: +86 (515) 88699999

Skype: [vivian06130914](https://www.skype.com/user/vivian06130914)

Fax: +86 (515) 88600109

Twitter: [@vivian_jianfeng](https://twitter.com/vivian_jianfeng)

QQ: 2439129887

Web: www.ycjianfeng.com @ www.jianfengcn.en.alibaba.com

Mobile/wechat/whatsapp: +86-13758990304

Facebook/LinkedIn: [vivian@ycjianfeng.com](https://www.facebook.com/vivian@ycjianfeng.com)



POWER DRIVEN MEANS

CORDLESS TOOL SERIES / POWER TOOL SERIES
GARDEN TOOL SERIES



JIANFENG POWER TOOLS

www.ycjianfeng.com

COMPANY INTRO

ZHEJIANG JIANFENG

ZHEJIANG JIANFENG SMART TECH CO.,LTD (formerly YONGKANG JIANFENG POWER TOOLS CO.,LTD) , Located in Yuzhen Town,Jinyun City,Zhejiang Province, specializing in the research and development of lithium batteries power & garden tools,wired electric tools product etc. Total factory size of 13,600 square meters and Hundreds of staffs.Strong R&D strength and QC team with dozens of people Fully own injection molding workshops and battery,assembly,packing production lines with professional equipment. Series products been certificated by CE,EMC,etc.More than 20 products have aware patents.Approved by ISO9001,ISO14001 quality management system.

COMPANY INTRO

YANCHENG JIANFENG

YANCHENG JIANFENG ELECTRIC MOTOR INSTRUMENT CO.,LTD founded in 2003, located in Yancheng city, Jiangsu province, specializing in bench grinder,mini air compressor,table saw ,press drill etc small table tools. We produce hardware and mechanical parts, such as motor parts, stamping parts, die casting parts and forging parts.Owned two metal working workshop,a painting working shop,two motor assembly production line,two auto -packing line etc.Supplying products of good quality, advanced and satisfied to the diversified demand of both local and foreign customers.Obtained several patents and certificate approved by ISO9001,ISO14001 as well.

COMPANY INTRO

JIANGSU JIANFENG

JIANGSU JIANFENG IMPORT&EXPORT CO.,LTD the company deals with import and export business,procurement business, international transactions audit,factory verification etc.With VTB account support for Russia business.With Sinasure support for credit payment.With own brand full line ---AC tools, Dc tools, Garden tools, Air tools, tools set, accessories,hand tools etc. Support any quantity purchasing, brand agency from all over the world, as well as ready delivery shipping. With generating sales in more than 300 containers,mainly in South Euro,Southeast Asia,Middle East, Africa,South America,etc, covering markets such as , Russia,Kazakhstan,Ukraine,Belarus,Brazil,Argentina, Peru,Uruguay,Mexico,Turkey,Spain,Poland,Indonesia,Philippines,Iran,Iraq,UAE,etc

As an Integrate industry and trade company,we have fully tools line as well as both OEM&OWN brand sales channel. With more than 20 years of manufacturing and export experience, we provide with satisfactory services and super cost-effective products. We think more than our partner! Warmly welcome to visit and negotiate.



BE PRAGMATIC



STRICTNESS



INNOVATE



INTEGRITY



FACTORY BUILDING



INTER-SAMPLE



CERTIFICATE



WORKSHOP



WAREHOUSE




1 CORDLESS DRILL P01-02



Cordless drill is designed for screwing threaded connections of different types (drives bolts, nuts, screws), as well as drilling in metal, wood, plastic and other similar materials.

2 BRUSHLESS CORDLESS DRILL P03-04



The brushless motor power is suitable for professional and household use. Perform a large number of operations in a short time and are excellent for daily tasks.

3 CORDLESS DRILL SCREWDRIVER/ CORDLESS WRENCH P05-06




Large torque Cordless wrench with socket for auto repair tools

4 CORDLESS POWER TOOLS P07-09



cordless circular saw, angle grinder etc power tools use one type battery platform

5 CORDLESS GARDEN TOOLS P10-12



Battery garden tools slow many outside, garden working etc

6 CORDLESS MANY IN ONE SERIES P13



one machine can be changed with different head for many working

7 BENCH GRINDER P15-16




Suitable for grinding, milling, engraving, polishing, refashioning, sanding of small tools, parts, knives and stone tools

8 ANGLE GRINDER P17-19



Angle grinder is a household tool designed for abrasive machining. Cutting, grinding and stripping of torch, metal and other material.

9 MINI GRINDER SET P20




Hand held mini grinder set with accessory for grinding, cutting, drilling, cleaning etc

10 ELECTRIC SCREWDRIVER P21



Stepless speed change forward and reverse rotation, easy to screw up and torque gear can be adjusted according to the work needs

11 ELECTRIC DRILL P22



Quickly drill holes, easy to carry and operate, key or keyless chuck option

12 IMPACT DRILL P23



Tighten screw, drill holes, fall drill, impact dual function, stepless speed regulation, one key switch between forward and reverse

13 IMPACT WRENCH P24



Impact wrench used for tightening, unscrewing fasteners when assembling and disassembling metal structures, removing and installing car wheels etc

14 JIG SAW P25-26



Wood working, curve cutting, straight cutting, bevel cutting, laser and pneumatic function etc option

15 MARBLE CUTTER P27



Multipurpose Cutter Machine for Marble, Granite, Wood, Stone, Max Cut Depth Bevel and Depth Adjustable

16 CIRCULAR SAW P28



Switching upside down by hand the angle and depth can be adjusted freely to achieve the ideal cutting effect

17 RECIPROCATING SAW P29



Saw and cut different materials quickly and easily wood, metal, plywood, fibreglass and PVC etc

18 HEAT GUN P30



Heat gun is used to blow weld electronic components, high temperature resistant stainless steel pipe, convenient and fast

19 SPRAY GUN P31




High use of electric drive spray work efficiency, applied to spray painting and other spray fields, amazing atomization effect

20 MULTI-FUNCTION OSCILLATING P32



M.U.T. TOOLS is designed for cutting grooves and sawing blanks from wood, chipboard, plastic and soft non-ferrous metals

21 SHARPENER TOOLS/ELECTRIC ROUTER & ENGRAVER P33



for taper grinding and pitch setting of saw chain, stable and easy to operate, wide applicability

22 HAMMER DRILL P34



drilling on concrete, masonry and other hard materials, rotation and impact combined, portable and flexible, a variety of mode switching

23 DEMOLITION HAMMER P35



The Demolition Hammer used for drilling holes in concrete for blasting working

24 ELECTRIC VIBRATOR P36



The vibrator machine widely used in construction site, solve the problem of cement and concrete roads, avoid laying etc

25 DRYWALL SANDER P37



used to smooth and level drywall surfaces, featuring an adjustable speed control for different sanding needs

26 ELECTRIC BLOWER P38



strong power blowing away dust and debris from various surfaces, air volume adjustable

27 CAR POLISHER P39




The polishing machine is used for polishing painted metal surfaces such as car bodywork

28 CUT OFF MACHINE P40



Cutting metal, wood, and plastic with high-speed rotating blades

29 MITER SAW P41



Miter saw is professional cutting & saw tools. Can be cut all kinds of materials, use it as you want

30 ELECTRIC MIXER P42



Electric mixer with strong power motor used for mix concrete, cement, putty powder, etc.

31 ELECTRIC SANDER P43



The random orbital sander developed for effective and dust-free of all kind of surface.

32 ELECTRIC PLANER /TABLE PLANER P44



Using polyurethane material high strength and toughness, fine steel thick blade, a sharp edge. Foot planing, rigid hardness of fine steel, suitable for all kinds of wood

33 AIR PUMP/AIR COMPRESSOR P45



Air compressor is a small but powerful portable air compressor, tire inflation, dust remove spray the machine can be used for different scenes when connect with different tools

34 LASER LEVEL P46



Laser Level perform multiple alignment tasks, including wall planning and sloping, thus improving the work efficiency.

35 DRILL PRESS/TABLE SAW P47



Press drill for drilling PCB, PVC thin wood products, features are quick drilling, clamping the drill bit is small.

36 VACUUM CLEANER P48




Vacuum cleaner is household cleaning machine, used to remove dust, dirt, duff, flairs and other tiny particles in the home.

37 GASOLINE CHAIN SAW /BRUSH CUTTER P49



petrol chainsaw/brush cutter is the latest in range of high performance garden tools, work quickly and safely in any green task

38 GRASS CUTTER/GRASS TRIMMER P50



Powerful electric grass trimmer and grass cutter. The quick and easy way to trim and edge the contours of your lawn

39 ELECTRIC CHAIN SAW P51




The electric chain saw impresses with its reliable performance around the house and garden. Its ability to quickly start, its smoothly running chain and its lightweight design

40 ELECTRIC LAWN MOWER P52




Lawn mower is the perfect solution for those who need a powerful and reliable mower for their lawn.

41 GARDEN SHREDDER P53




Electric shredder branches and leaves is suitable for fruit farms, forestry factories, tea factories, nurseries, gardens, etc.

42 NON-POWERED SWEEPER P54




The non-powered sweeper is easy to use, can be pushed and moved to collect garbage into the dust box easily.

43 WATER PUMP/ELECTRIC SUCKER/TILE CUTTER P55-56



Submersible Clean Water Pump, Sewage Pump, jet pump etc for water treatment application. Manual tile cutter size 600 800 1200 1600 1800 single & dual rule can be choose

44 POWER TOOL SET/PARTS P57-58



Parts for operated selling, repair or after service



LI-ION BATTERY DRIVEN SERIES

- Constant endurance lithium battery
- Light weight, portable, easy operation
- Same platform fit many tools
- High efficiency, more economical



LITHIUM BATTERY POWER TOOLS/ GARDEN TOOLS SET

The lithium battery power source provides efficient and reliable operation, allowing users to complete different tasks

CORDLESS DRILL

JFCD 10.8-MN

CORDLESS DRILL

- Small size and weight make a necessary
- Assisted in any home and every apartment



Torque: 16Nm
Torque set: 18+1
No-load speed: 0-750r/min
Battery: 1300mAh 12v
Charge time: 2.5hours

JFCD 12-HY

CORDLESS DRILL

- Small size and weight make a necessary
- Assisted in any home and every apartment



Torque: 22Nm
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Battery: 1300mAh 12v
Charge time: 3-5/1.5hours

JFCD 12-JF/14.4-JF

CORDLESS DRILL

- Small size and weight make a necessary
- Assisted in any home and every apartment
- Single speed or variable speed
- Impact function can be choose with battery indicator



Torque: 22Nm/24Nm
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Battery: 1300mAh/12V/14.4V
Charge time: 3-5/1.5hours

JFCD 12-CL

CORDLESS DRILL

- 18-18mm twist drill drill chuck
- Comfortable lightweight ergonomic housing
- LED working light



Torque: 16Nm
Torque set: 18+1
No-load speed: 0-4500-1450r/min
Battery: 1300mAh/12v
Charge time: 2.5hours
COLOR BOX / BMC Box

JFCD 12F-CL/14.4F-CL/18F-CL

CORDLESS DRILL

- Single speed or variable speed
- 1 battery / 2 batteries
- Color show/BMC box packing
- LED battery indicator



Torque: 22Nm / 28Nm / 32Nm
Battery: 12V / 14.4V/ 18V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F-JF/14.4F-JF/18F-JF

CORDLESS DRILL

- QUANVO battery platform
- battery power indicator
- LED working light
- Impact function can be choose



Torque: 22Nm / 28Nm / 32Nm
Battery: 12V / 14.4V/ 18V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F/14.4F/18F/21F-JF

CORDLESS DRILL

- Impact function can be choose
- Worn battery platform



Torque: 22Nm / 28Nm / 32Nm
Battery: 12V / 14.4V/ 18V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F-JF/14.4F-JF/18F-JF

CORDLESS DRILL

- Impact function can be choose
- Makes battery platform



Torque: 22Nm / 28Nm / 32Nm
Battery: 12V / 14.4V/ 18V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F-HY/14.4F-HY/18F-HY

CORDLESS DRILL

- Private mould battery platform
- Impact function can be choose
- 3 model battery platform can be choose
- battery power indicator
- LED working light
- Impact function can be choose
- different parts can be choose



Torque: 22Nm/28Nm/32Nm
Battery: 12V / 14.4V/ 18V/21V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F-HY/14.4F-HY/18F-HY

CORDLESS DRILL

- Worn battery platform
- Impact function can be choose



Torque: 22Nm/28Nm/32Nm
Battery: 12V / 14.4V/ 18V/21V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F-HY/14.4F-HY/18F-HY

CORDLESS DRILL

- Makes battery platform
- Impact function can be choose



Torque: 22Nm/28Nm/32Nm
Battery: 12V / 14.4V/ 18V/21V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours

JFCD 12F-HJ/14.4F-HJ/18F-HJ

CORDLESS DRILL

- 3 model battery platform can be choose
- battery power indicator
- LED working light
- Impact function can be choose
- Rubberized Pads prevent slipping



Torque: 18Nm / 24Nm / 28Nm
Battery: 12V / 14.4V/ 18V
1.3Ah / 1.5Ah *2pcs
18+1
Torque set: 18+1
No-load speed: 0-3500-1350r/min
Charge time: 3-5/1.5hours





PRODUCT DETAILS CHARACTERISTIC DISPLAY

- ① TORQUE CUP ADJUSTMENT
- ② 2-SPEED GEARBOX
- ③ METAL KEYLESS CHUCK
- ④ REVERSE FUNCTION
- ⑤ SMOOTH SPEED CONTROL
- ⑥ COMFORABLE RUBBERED HANDLE
- ⑦ BATTERY POWER INDICATOR
- ⑧ LONG LIFE LI-ION BATTERY



BRUSHLESS CORDLESS DRILL

BRUSHLESS MOTOR SERIAL

The brushless motor powerful suitable for professional and household use. Perform a large number of operations in a short time and are excellent for daily tasks

BRUSHLESS CORDLESS DRILL

JFBCD12/16.8-BL

BRUSHLESS CORDLESS DRILL

- ▲ Cordless drill brushless motor suitable for professional and household use.
- ▲ **Brushless MOTOR**
- ▲ Metal Chuck with one coupling
- ▲ High performance for complex task



Torque: 35 Nm
 Rated voltage: 12V/16.8V 1.5Ah *2pcs
 No-load speed: 0-5500-1500/min
 Torque set: 21+1
 Charge time: 3-5/1.5hours
 10mm metal chuck

JFBCD16.8-LC

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ **Brushless MOTOR**
- ▲ Metal Chuck with one coupling
- ▲ High performance for complex task



Torque: 33 Nm
 Rated voltage: 16.8V 1.5Ah *2pcs
 No-load speed: 0-4500-1450 r/min
 Torque set: 21+1
 Charge time: 3-5/1.5hours

JFBCD16.8-XF

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ **Brushless MOTOR**
- ▲ Metal Chuck with one coupling
- ▲ High performance for complex task



Torque: 45Nm
 Voltage: 16V
 No-load speed: 0-4500/1800r/min
 10mm metal chuck

JFBCD16.8-CS01

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 33 Nm
 Rated voltage: 16.8V 1.5Ah *2pcs
 No-load speed: 0-4500-1450 r/min
 Torque set: 21+1
 Charge time: 3-5/1.5hours

JFBCD16.8-CS02

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 33 Nm
 Rated voltage: 16.8V 1.5Ah *2pcs
 No-load speed: 0-4500-1450 r/min
 Torque set: 21+1
 Charge time: 3-5/1.5hours

JFBCD12F-BL/16.8F-BL/18F-BL

BRUSHLESS CORDLESS DRILL

- ▲ A high-performance cordless drill, you will enjoy comfortable working
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 34Nm/43Nm
 Rated voltage: 12V/18V 1500mAh battery *2pcs
 Empty speed: 0-4500-1450r/min
 Clutch gear: 21+1
 Charge time: 3-5/1.5hours

JFBCD18F-LC

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 43Nm
 Torque set: 21+1
 No-load speed: 0-4500-1450r/min
 Battery: 1500mah 18v 2pc
 Charge time: 3-5/1.5hours

JFBCD12F-BT/14.4F-BT/18F-BT

BRUSHLESS CORDLESS DRILL

- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 35Nm/38Nm/41Nm
 Torque set: 18+1
 No-load speed: 0-3500-1350r/min
 Battery: 1500mah*2 12V/14.4V/18V
 Charge time: 2.5hours

JFBCD01-CS

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 43Nm
 Torque set: 21+1
 No-load speed: 0-4500-1450r/min
 Battery: 1500mah 18v 2pc
 Charge time: 3-5/1.5hours

JFBCD02-CS

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 43Nm
 Torque set: 21+1
 No-load speed: 0-4500-1450r/min
 Battery: 1500mah 18v 2pc
 Charge time: 3-5/1.5hours

JFBCD01-XL

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 45Nm
 Torque set: 21+1
 No-load speed: 0-6000-1950r/min
 Battery: 1500/2000/4000mAh 20V
 Charge time: 3-5/1.5hours

JFBCD02-XL

BRUSHLESS CORDLESS DRILL

- ▲ 10mm metal chuck
- ▲ High performance brushless motor
- ▲ Metal single-sleeve chuck
- ▲ High torque



Torque: 45Nm
 Torque set: 18+1
 No-load speed: 0-3700-1480r/min
 Battery: 1500/2000/4000mAh 20V
 Charge time: 3-5/1.5hours

BRUSHLESS CORDLESS DRILL/CORDLESS SCREWDRIVER

JFBCD01-XF

BRUSHLESS CORDLESS DRILL



- ▲ High performance brushless motor
- ▲ High torque

Torque: 48Nm
 Battery: 1500/2000/4000mAh 20V
 Torque set: 20+1
 No-load speed: 0-400/0-1400/min
 Charge time: 2.5hours

JFBCD02-XF

BRUSHLESS CORDLESS DRILL



- ▲ The most powerful in the line of professional cordless drills features 90% of torque
- ▲ 13mm metal chuck

Torque: 100Nm
 Battery: 1500/2000/4000mAh 20V
 Torque set: 20+1
 No-load speed: 0-500/2000/min
 Charge time: 2.5hours

JFBCD03-XF

BRUSHLESS CORDLESS DRILL



Torque: 60Nm
 Battery: 1500/2000/4000mAh 20V
 Torque set: 20+1
 No-load speed: 0-450/1800/min
 Charge time: 3-5/1.5hours

JFBCD04-XF

BRUSHLESS CORDLESS DRILL



Torque: 120Nm
 Battery: 1500/2000/4000mAh 20V
 Torque set: 20+3
 No-load speed: 0-450/1800/min
 Charge time: 3-5/1.5hours

JFBCS01

BRUSHLESS CORDLESS SCREWDRIVER



- ▲ Forward and reverse rotate
- ▲ High/Low level switch
- ▲ LED light battery indicator

Torque: 30Nm
 Battery voltage: 16.5V
 Clamping range: 1/4" hexagon socket(6.35mm)
 No load speed: 0-500/0-1500/min

JFBCS02

BRUSHLESS CORDLESS SCREWDRIVER



- ▲ Forward and reverse rotate
- ▲ High/Low level switch
- ▲ LED light battery indicator

Torque: 280Nm
 Battery voltage: 21V
 Clamping range: 1/4" hexagon socket(6.35mm)
 No load speed: 0-250/0/min
 Impact frequency: 0-3500/RPM

JFBCS03

BRUSHLESS CORDLESS SCREWDRIVER



Torque: 160-220Nm
 Voltage: 20V
 No-load speed: 0-1800/2300
 Impact frequency: 0-2000/3000rpm
 Charging Time: 3-3H

JFBCS04

BRUSHLESS CORDLESS SCREWDRIVER



Torque: 230Nm
 Voltage: 20V
 Clamping Range: 6mm(1/4")
 No-load speed: 0-3200RPM
 Impact frequency: 0-3300RPM

JFCSW01

CORDLESS SCREWDRIVER



Torque: 38Nm
 Voltage: 3.6V Li-ion1300mAh
 No Load Speed: 200RPM
 Motor: RS380
 Charging Time: 3-3H

CORDLESS WRENCH

JFBCW01

BRUSHLESS CORDLESS WRENCH 300N



Brushless motor 4815

Torque: 300N
 Rated voltage : 20V
 Standard bolt: M8-M24
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-2300RPM
 Impact frequency: 0-3300rpm

JFBCW02

BRUSHLESS CORDLESS WRENCH 300N



Torque: 300N
 Rated voltage : 20V
 Standard bolt: M8-M16
 High standard bolt: M8-M14
 No-load speed: 0-1700/0-2300RPM
 Impact frequency: 0-2000/0-3000rpm

JFBCW03

BRUSHLESS CORDLESS WRENCH 330N



Brushless motor 4815
 Torque: 330N
 Rated voltage: 20V
 Empty speed: 0-2500 RPM
 Standard bolt: M4-M22
 No-load speed: 0-3000RPM
 Impact frequency: 0-3300rpm

JFBCW04

BRUSHLESS CORDLESS WRENCH 400N



Brushless motor 4815

Torque: 400N
 Rated voltage : 20V
 Standard bolt: M8-24
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-2300RPM
 Impact frequency: 0-3300rpm

JFBCW05

BRUSHLESS CORDLESS WRENCH 450N



Torque: 450N
 Rated voltage : 20V
 Standard bolt: M10-M20
 High standard bolt: M8-M18
 No-load speed: 0-2000/0-2500RPM
 Impact frequency: 0-2500/0-3300rpm

JFBCW06

BRUSHLESS CORDLESS WRENCH 550N



Torque: 550N
 Rated voltage : 20V
 Standard bolt: M10-M20
 High standard bolt: M8-M18
 No-load speed: 0-1400/1900/2400RPM
 Impact frequency: 0-1700/2000/3000rpm

JFBCW07

BRUSHLESS CORDLESS WRENCH 600N



Brushless motor 5220

Torque: 600N
 Rated voltage : 20V
 Standard bolt: M8-34
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-2300RPM
 Impact frequency: 0-3300rpm

JFBCW08

BRUSHLESS CORDLESS WRENCH 750N



Torque: 750N
 Rated voltage : 20V
 Standard bolt/Machine Screw: M5-M30 / M4-M10
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-2400RPM
 Impact frequency: 0-2200rpm

JFBCW09

BRUSHLESS CORDLESS WRENCH 800N



Brushless motor 5220
 Torque: 800N
 Rated voltage : 20V
 Standard bolt: M8-M34
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-2300RPM
 Impact frequency: 0-3300rpm

JFBCW10

BRUSHLESS CORDLESS WRENCH 800N



Brushless motor 5220

Torque: 800N
 Rated voltage : 20V
 Standard bolt: M8-24
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-2300RPM
 Impact frequency: 0-3300rpm

JFBCW11

BRUSHLESS CORDLESS WRENCH 850N



Torque: 850N
 Rated voltage : 20V
 Standard bolt: M8-24
 Output shaft: 12.7mm(1/2")
 No-load speed: 0-1500/1900/2300RPM
 Impact frequency: 0-1800/2100/2600rpm

JFBCW12

BRUSHLESS CORDLESS WRENCH 1300N



Brushless motor 6030
 Torque: 1300N
 Rated voltage: 20V
 Standard bolt: M8-46
 Output shaft: 19mm(3/4")
 No-load speed: 0-1850RPM
 Impact frequency: 0-3300rpm



CORDLESS POWER TOOLS

JFCG01

CORDLESS MINI GRINDER



Voltage: 12V (14.4V)
No-load speed: 19500r/min
Cutting dia: 75mm
Charge time: 2.5 hours
brushed motor

JFCG02

CORDLESS MINI GRINDER



Brushless 4825
Voltage: 20V
Rate input power: 600W
No-Load Speed: 13000RPM
Max cutting capacity: 4inch 100mm
Effective cutting depth: 20mm
Cut mode: direct drive without gear

JFCBAG01

CORDLESS ANGLE GRINDER



Voltage: 20V
Rate input power: 800W
No-Load Speed: 4000/5000/6000RPM
Wheel size: 125mm
Motor Type: brushless

JFCBAG02

CORDLESS ANGLE GRINDER



Brushless motor
With battery level display
And high/low speed switching
Voltage: 21V
Battery option: 1.5Ah (2.0Ah)
Wheel size: 115/125mm
Speed regulation: 3000-7500r/min
Spindle: M14

JFCBAG03

CORDLESS ANGLE GRINDER



Brushless motor
With battery level display
And high/low speed switching
Voltage: 21V
No-Load Speed: 8500 r/min
Wheel Dia: 125mm
Shaft diameter: M14
SPEED CONTROL

JFCBAG04

CORDLESS ANGLE GRINDER



Brushless motor
With battery level display
And high/low speed switching
Voltage: 21V
Rated Power: 700W
No-load speed: 7500r/min
Charge time: 3-5/1.5 hours
Wheel Dia: 100mm

JFCC01

CORDLESS CIRCULAR SAW



Brushed motor
Voltage: DC20V
No load speed: 4300 RPM
Blade Size: 165mm
Arbor size: 20mm (5/8")
Max cutting capacity: 52mm(2.04") 90° degree
35mm(1.37") 45° degree

JFCC02

CORDLESS CIRCULAR SAW



Brushless
Voltage: DC20V
Motor: 5030P
No Load Speed: 4500rpm
Saw disc diameter: 185mm φ 185° φ 20*24mm(24T)
Cutting depth at 90° angle: 65mm(steel base)
Cutting depth at 45° angle: 43mm(steel base)

JFCC03

CORDLESS CIRCULAR SAW



Brushed motor
Voltage: DC20V
Blade Diameter: 165/165mm
No-load speed: 3000-4800r/min
Cutting depth: 0-57mm
Charging time: 2.5/3.5h
color box packing

JFCRS01

CORDLESS RECIPROCATING SAW



Brushed Motor
Voltage: DC20V
No load speed: 0-2,600 SPM
Stroke length: 25mm (0.98")
Max cutting capacity: Wood: 150mm
Steel: 10mm

JFCRS02

CORDLESS RECIPROCATING SAW



Brushed Motor
Max cutting capacity: 115mm wood
65mm Hollow steel tube
8mm: steel
Voltage: DC20V
No Load Speed: 0-2800rpm
Stroke Length: 28mm
Rotary handle LED light
tool less blade change

JFMC503

CORDLESS SAW



Brushless
Motor Type: brushless
input power:500W
Voltage: DC20V
No-Load Speed: 0-3000RPM
Length of stroke: 15mm
Max cutting capacity(pipe): 70mm
Max cutting capacity(wood): 70mm
Max cutting capacity(Metal): 50mm

CORDLESS POWER TOOLS

JFCHD01

CORDLESS HAMMER DRILL



Brushless motor
Voltage: DC20V
Impact frequency: 0-5600ipm
Impact Power: 0-8600Jm
Drilling diameter (concrete): 26mm
Drilling diameter (steel): 13mm
Drilling diameter (wood): 28mm
No-load speed: 0-1000r/min

JFCHD02

CORDLESS HAMMER DRILL



Brushless motor
Voltage: DC20V
Impact frequency: 0-5600ipm
Impact Power: 0-8600Jm
Drilling diameter (concrete): 26mm
Drilling diameter (steel): 13mm
Drilling diameter (wood): 28mm
No-load speed: 0-1000r/min

JFCHD03

CORDLESS HAMMER DRILL



Brushless motor
Voltage: DC20V
Impact frequency: 0-5600ipm
Impact Power: 0-8600Jm
Drilling diameter (concrete): 26mm
Drilling diameter (steel): 13mm
Drilling diameter (wood): 28mm
No-load speed: 0-1000r/min

JFCJ501

CORDLESS JIG SAW



Brushless motor
etc: 1pcs wood
cutting blade
1 pc hex key
1pc Guide rail
Voltage: DC20V
No Load Speed: 800-3000rpm
Stork length: 22mm
Lead lights: Laser Bevel Cutting: -45° to 45°
Max cutting capacity: 100mm Wood
aluminum base

JFCJ502

CORDLESS JIG SAW



Brushless motor
Voltage: DC20V
Reciprocating times: 7.5A (brush motor)
No-load current: 3.5A (brushless motor)
Cutting depth: Wood 55mm
Steel 65mm

JFCJ503

CORDLESS JIG SAW



Brushless motor
etc: 1pcs wood
cutting blade
1 pc hex key
1pc Guide rail
Voltage: DC20V
No Load Speed: 800-3000rpm
Stork length: 22mm
Lead lights: Laser Bevel Cutting: -45° to 45°
Max cutting capacity: 100mm Wood

JFCCP01

CORDLESS POLISHER



Brushless motor
Voltage: DC20V
No load speed: 800-2400Min
Die of wheel: 180mm(7")
Orbit: 15mm(21mm)
Motor: 5000W

JFCCP02

CORDLESS DUAL POLISHER



Brushless motor
Voltage: DC20V
Rated Input Power: 450W
No Load Speed: 2000-4500RPM
Orbit: 15mm(21mm)
Past Size: 125/150mm
Speed Controller

JFCBTP01

CORDLESS TIRE PUMP



Brushless motor
DC recharge power: DC 18V
AC power: 100-240V
Voltage: DC20V
Tire max pressure: 160psi/11bar(1100kpa)
Blower max air flow: 3800m³/min
Inflator hose 500mm
blower hose 300mm
Hose length:

JFCLT01

CORDLESS LED TORCH



Brushless motor
Voltage: DC20V
Led power: 8W
Rated current: 60mA
Light range: 200-500m
Brushless motor

JFCLT02

CORDLESS LED TORCH



Brushless motor
Voltage: DC20V
Led power: 0.2W/pc
Led qty: 24pcs
Color temperature: 6000-6500K
Rated current: 60mA
Max light: 24-26LM
Motor: brushless motor

JFCF01

CORDLESS FAN



Brushless motor
Motor Type: brush
Running time: 2.0h
low speed: 100hours
high speed: 140mins
Voltage: DC20V
Rate input power: 100W
No-Load Speed: 0-3000RPM
Air speed: 6.5m/s
Air flow: 5000CM³
Blade size: 7inch
Fan cover size: 11inch



CORDLESS POWER TOOLS

JFCR01

CORDLESS ROUTER



Voltage: 18V
 Collet Size: 6-8mm
 Cutting Depth: 0-8mm
 No-Load Speed: 1000-3000
 Battery Capacity: 4.0Ah
 Brushless motor

JFCCP01

CORDLESS PLANER



Voltage: DC-20V
 No load speed: 0-2,600RPM
 Stroke length: 25mm (0.98")
 Max.cutting capacity: Wood: 150mm
 Steel: 10mm

JFCS501

CORDLESS SANDER



Voltage: DC20V
 No Load Speed: 0-2,600RPM
 Pad Size: 125mm
 Self-vacuum
 Acc: 1 pc Dust collection box
 1 pc Sanding paper

JFCS502

CORDLESS SANDER



Voltage: DC20V
 No Load Speed: 7000-13000RPM
 Pad Size: 125mm
 Self-vacuum
 Acc: 1 pc Dust collection box
 1 pc Sanding paper

JFCMT01

CORDLESS MULTI-TOOLS

▲ 20V quick release multi tool



Voltage: DC-20V
 No load speed: 5000-1,8000RPM
 Oscillations Angle 3 Degree
 Planing Size: 110*3.5mm
 Motor Type:

JFCS01

CORDLESS STAPLER



Voltage: 21V
 Nail frequency: 80 pins /Min
 Single weight: 2.07kg

JFCHG01

CORDLESS HEAT GUN



Voltage: 21V
 Motor attack rate: 350W
 Pressure: 8kg
 Flow: 100-200L/Min
 Sail on: 20mm

JFCHF01

CORDLESS HEAT FUN



Voltage: 21V
 Motor attack rate: 200W
 Pressure: 8kg
 Flow: 3L/min
 Lift: 7m
 Sail on: 20mm

JFTM01

CORDLESS TILE MACHINE



Voltage: 21V
 Rubber size: 165mm*165mm
 7 series motor
 Front handle height adjustable
 Automatic switch locking
 Aluminum plate

JFCME01

CORDLESS MIXER

▲ work time: Concrete: 15mins,
 ▲ plaster powder: 21mins,
 ▲ paint: 35mins
 (5000 brush motor)



Voltage: 20V, 4.0Ah
 Speed: 0-710rpm/min
 Motor over current protection : $25A$
 Motor over temperature protection : 95 degree
 Mixing paddle diameter: 100x50mm
 Tool connection: M14

JFCD501

CORDLESS DRYWALL SANDER



Voltage: 18V
 Battery capacity: 4.0Ah
 No Load Speed: 500-1000RPM
 Mixing paddle: 225mm

JFCD502

CORDLESS DRYWALL SANDER



Voltage: 18V
 Battery capacity: 4.0Ah
 No Load Speed: 500-1200RPM
 Mixing paddle: 215mm
 Mixing paddle: 100*48

CORDLESS GARDEN TOOLS

JFCCS01

CORDLESS CHAINSAW

▲ Motor type: Brushless
 ▲ Chain adjust: Toolless



Voltage: 20V
 Rate input power, 1000W
 No-Load Speed, 6.8rps
 Bar size: 12inch
 Chain size: 45pitch 3/8"

JFCCS02

CORDLESS CHAINSAW



Voltage: 21V
 Power: 750-800W
 Bar: 16"
 Guide length: 450mm
 Cutting diameter: 400mm
 Motor type: 5025

JFCCS03

CORDLESS CHAINSAW



Voltage: 42V
 Motor mode: Brushless 6045
 Power: 1600W
 Speed: 6800rpm
 Guide plate size: 16 inch

JFCCS04

CORDLESS CHAINSAW



Voltage: 42V
 Motor model: Brushless 6035
 Power: 1450W
 Speed: 5800rpm
 Guide plate size: 16 inch

JFCCS05

CORDLESS CHAINSAW

▲ Oil tank: 150ml
 ▲ Brake: Electronic Brake
 Motor: BLDC Motor
 BATTERY: 18650*10C



Voltage: 20/40V
 Power: 600W(Max 1000W)/1200W (Max 2000W)
 Bar: 12" / 16"
 Chain: 52/78DL
 Pitch: 1/4
 Chain speed: 10/12 m/s

JFCCS06

CORDLESS CHAINSAW



Voltage: 42V
 Motor mode: Brushless 716
 Power: 1300W
 Speed: 4200rpm
 Guide plate size: 16 inch

JFMC501

CORDLESS MINI SAW

▲ Brushed model



Voltage: 18V
 No-load speed : 1000-1200r/min
 Length of guide plate: 4" 6"
 Chain size: 1/4 28 pitch
 Chain speed, 5rps

JFMC502

CORDLESS MINI SAW

▲ Brushed model
 ▲ max cutting dia: 0-120mm



Voltage: 20V
 Rate input power, 200W
 No-Load Speed, 3800RPM
 Bar size: 4", 6"
 Chain speed, 5rps

JFMC503

CORDLESS MINI SAW

▲ Brushed model
 ▲ multi-type battery
 max cutting dia: 0-120mm



Voltage: 12V
 Rate input power, 420W
 No-Load Speed, 0-3200r/min
 Bar size: 4inch
 Chain size, pitch 1/4"
 Motor Type, Brush

JFMC504

CORDLESS MINI SAW

▲ Brushed model
 ▲ max cutting dia: 0-125mm



Voltage: 20V
 No-load speed : 1000-1200r/min
 Length of guide plate: 6"
 Chain speed, 6rps
 Chain size, 1/4 37 pitch

JFMC505

CORDLESS MINI SAW

▲ Motor type: Brushless
 hand pump
 Chain adjust: Toolless



Voltage: 20V
 Rate input power, 600W
 No-Load Speed, 6.2rps
 Bar size: 6inch
 Chain size, 36pitch 1/4"
 Brake time, no require

JFMC506

CORDLESS MINI SAW

▲ Motor Type: Brushless
 hand pump
 Chain adjust: Toolless



Voltage: 20V
 Rate input power, 600W
 No-Load Speed, 5800RPM 7.9rps
 Bar size: 6inch
 Chain size, 44pitch 1/4"
 Brake time, no require



CORDLESS GARDEN TOOLS

JFCPS01

CORDLESS PRUNING SHEARS

- ▲ Brushless motor



Battery: 18V, 2000mAh, 2pcs
 Max power: 600W
 Speed: 0.35s/s
 Blade material: SKS
 Max cutting dia: 0-25mm

JFCPS02

CORDLESS PRUNING SHEARS

- ▲ Brushless motor
- ▲ In-c case packing



Battery: 18V, 2000mAh, 2pcs
 Max power: 600W
 Speed: 0.35s/s
 Blade material: SKS
 Max cutting dia: 0-35mm

JFMAHT01

CORDLESS MINI TRIMMER

- ▲ Run Time: up to 45 Min
- ▲ No-load speed: 6500rpm
- ▲ Type: C-USB



Rated Voltage: 3.6V/1.2V
 Battery Power: 2000mAh-ion battery
 Tooth Opening: 8mm
 Shrub Blade Length: 120mm
 Grass Blade length: 75mm

JFMHT02

CORDLESS MINI TRIMMER



Blade material: 65Mn

DC voltage: DC3.6V
 Battery: Lithium, 1.5/2.0Ah
 Cutting width for shear blade: 65mm
 Cutting length for shrub blade: 110mm
 No load speed: 1000RPM
 Running time: 35-70mins

JFCBR01

CORDLESS BRUSH CUTTER



Battery: 12V 1300mah*2pcs
 Power: 450W
 No Loading speed: 12000r/min
 Material: Nylon + steel tube
 Metal telescopic tube: 90-130cm
 Charge time: 2.5hours

JFCBR02

CORDLESS BRUSH CUTTER



Battery: 21V *2pcs
 Power: 850W
 No Loading speed: 12000r/min
 Material: Nylon + steel tube
 Metal telescopic tube: 90-130cm
 Charge time: 2.5hours

JFCHT01

CORDLESS HEDGE TRIMMER

- ▲ motor type: brushless
- ▲ battery type: makita
- ▲ charge time: 2.5hours



Voltage: 21V
 Watt: 850W
 Rpm: 0-1500r/min
 Blade length: 580mm
 Max cutting length: 570mm

JFCHT02

CORDLESS HEDGE TRIMMER

- ▲ blade material: SKS
- ▲ motor type: brushless/brushed
- ▲ battery type: makita, 2000mah *1pc



Voltage: 21V
 Watt: 650/850W
 Rpm: 0-1500r/min
 Blade length: 550mm
 Max cutting length: 550/580mm

JFCLM01

CORDLESS LAWN MOWER

- ▲ 18V Lithium Lawn Mower
- ▲ Grass Box Volume: 3L
- ▲ Front/Rear wheel: 5.5"/6.5"



Battery Voltage: 18V
 Battery Capacity: 2.0-4.0Ah
 No-load Speed: 3200r/min
 Max Cutting Length: 33mm
 Cutting Height: 5 levels(25-75mm)

CORDLESS GARDEN TOOLS

JFCB01

CORDLESS BLOWER

- ▲ Motor Type: brush
- ▲ HEAVY DUTY BATTERY



BATTERY VOLTAGE: 21V
 No-load speed: 0-1800RPM
 Blowing rate: 0-2.83m³/s
 Blowing speed: 80km/h

JFCB02

CORDLESS BLOWER

- ▲ Motor type: brushless
- ▲ switch: self-lock & speed



Rate Voltage: 20V
 Rate input power: 350W
 No-Load Speed: 35r/min
 Blower speed: 34r/min
 Blower CFM: 800

JFCB03

CORDLESS BLOWER

- ▲ Motor: 540 brush motor
- ▲ Maximum wind pressure: 100g
- ▲ Bypass: 70



Rated voltage (V): 21V
 Max power (W): 800
 Current: 10A
 Gear: stepless speed regulation
 Speed: 3500RPM

JFCSR01

CORDLESS SNOW REMOVER

- ▲ useful time: 1-1.5h (loading)
- ▲ No load current: 4.0A
- ▲ Load Current: 25A-65A



Power: 900W
 No-speed loading: 0-3300r/min
 Remover length: 250mm
 Max throwing: 8M
 Max length: 25cm

JFCSR02

CORDLESS SNOW REMOVER

- ▲ useful time: 1-1.5h (loading)
- ▲ No load current: 5.0A
- ▲ Load Current: 25A-65A



Power: 1000W
 No-speed loading: 0-3300r/min
 Remover length: 250mm
 Max throwing: 8M
 Max length: 25cm

JFCSP01

CORDLESS SPARY GUN

- ▲ color box packing
- ▲ Brushed motor



Voltage: 20(VLi-ion) 2000mAh
 Max Flow: 650ml/min
 Capacity: 1000ml
 Charge Time: 2.5hours
 Max viscosity: 800cP
 Brass Nozzle: 1.5/1.8/2.0/2.5mm(choose 2 size)

JFCSG02

CORDLESS SPARY GUN

- ▲ brass Nozzle: 1.5/1.8/2.0/2.5mm



Voltage: 20(VLi-ion) 2000mAh
 Max Flow: 650ml/min
 Capacity: 1000ml
 Charge Time: 2.5hours
 Max viscosity: 800cP

JFCSP01

CORDLESS SPREADER



Tank Capacity: 3L
 Speed: 6 steps
 Spread Distance: 2-5M
 Load Qty: 1360/2800/3232pcs

JFCSP02

CORDLESS SPREADER

- ▲ 75cm Retractable metal spray boom x1
- ▲ Adjustable copper nozzle x1
- ▲ shoulder strap x1



Tank capacity: 4L
 Pressure: 2.5Bar
 Running time: 300mins (2.0A battery)
 Load Qty: 1490/3000/3470pcs



CORDLESS MANY IN ONE SERIES



11-tool Combo Kit
21V, quick connect system

JFCT001

CORDLESS EXCHANGE HEAD TOOLS

Machining with tool heads only, without battery and charger without exchange head

Battery voltage: 21V
Protected capacity: 35A(1.3S)
No-load speed: 13000/20000/24000/min

JFCT-ID

IMPACT DRILL HEAD

Chuck size: 10mm
Max torque: 320N.m
No-load speed: 0-400/1400/min
Impact rate: 0-210000ppm

JFCT-RS

RECIPROCATATE SAW HEAD

Chuck size: 15mm
Reciprocate speed: 0-3300/min

JFCT-JS

JIG SAW HEAD

Chuck size: 12mm
Reciprocate speed: 0-3300/min

JFCT-ES

SANDER HEAD

No-load speed: 0-10000/min
plate size: 94X135mm

JFCT-MS

SHOVEL HEAD

vibrating frequency: 0-21000ppm
swing angle: 3°

JFCT-CS

CHAIN SAW HEAD

Plate size: 4"
No-load speed: 4000/min
Chain speed: 7m/s

JFCT-CW

WRENCH HEAD

Chuck size: 1/4" (6.35mm)
+1/2" (12.7mm)
Max torque: 200N.m
No-load speed: 0-3300/min
Impact rate: 0-3600ppm

JFCT-SD

SCREWDRIVER HEAD

Chuck size: 1/4" (6.35mm)
Max torque: 160N.m
No-load speed: 0-3300/min
Impact rate: 0-3600ppm

JFT-WM

WASHING HEAD

Flow: 2.4L/min
Rated pressure: 1.8/3.0Mpa
With 1pc of M18 spray head, 1connect, 1pc of 5meter pipe

JFCT-CB

BLOWER HEAD

No load speed: 0-24000/min
Blowing volum: 2.8m³/min

JFCT-CD

DRILL HEAD

Chuck size: 10mm
Max torque: 320N.m
No-load speed: 0-400/1400/min

JFCT-BMC

MIX PACKING BMC

Size: 365X290X195mm
With steel wheel modes for extension
Can put 1pc of main machine, 1pc of charger, 1pc of battery, 5pcs of exchange head

JFLB2120-10C

BATTERY

Extra battery, 21V 2000mAh 10C*1pc (Makita BL series type)

JFLB2140-10C

BATTERY

Extra battery, 21V 4000mAh 10C*1pc (Makita BL series type)

JFLB2140-10C-D

BATTERY

Extra battery, 21V 4000mAh 10C*1pc (Makita BL series type)

JFSC2140

CHARGER

Standard small charger 21V 4.0A (90 min. charging time)

JFBC2140

CHARGER

Charging station 21V 4.0A (90 min. charging time)

POWER WIRE DRIVEN SERIES

- 1 Power stable, life longer
- 2 High reliability
- 3 Easy maintenance
- 4 Competitive price



WIRED POWER TOOLS / GARDEN TOOLS SERIES....

Angle grinder, Bench grinder, Circular saw, Jig saw, Marble cutter etc many power tools for household and daily working

BENCH GRINDER

Suitable for grinding, milling, engraving, polishing, refurbishing, sanding of small tools, parts, knives and stone tools



BENCH GRINDER

JFMD3212M\3215M

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 150W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 125 \times 16 \times \phi 12.7mm$
 $\phi 200 \times 20 \times \phi 32mm$

JFMD3215K\3220K

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 200W/250W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 150 \times 16 \times \phi 12.7mm$
 $\phi 200 \times 20 \times \phi 32mm$

JFMD3212SF\3215SF

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 150W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 125 \times 16 \times \phi 12.7mm$
 $\phi 150 \times 16 \times \phi 12.7mm$

JFMD3215F\3217F\3220F

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 250/300/350W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 150 \times 20 \times \phi 12.7mm$
 $\phi 175 \times 20 \times \phi 32mm$
 $\phi 200 \times 20 \times \phi 32mm$

JFMD150/200Q

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 350W
 No-Load Speed: 2950mm-1 134mm-1
 Wheel size: $\phi 150 \times 20 \times \phi 12.7mm$
 $\phi 200 \times 40 \times \phi 20mm$

JFDG-75A

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 120W
 No-Load Speed: 0-9900r/min
 Wheel size: $\phi 75 \times 20 \times \phi 10mm$

JFMD150/50W

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 200W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 150 \times 20 \times \phi 12.7mm/50 \times 68mm$

JFMD3212A\3215A\3220A\3225A

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 120/150/200/250W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 125 \times 16 \times \phi 12.7mm$
 $\phi 150 \times 20 \times \phi 12.7mm$
 $\phi 200 \times 250 \times \phi 32mm$

JFMD3212P\3215P\3220P

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 120/150/200W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 125 \times 16 \times \phi 12.7mm$
 $\phi 150 \times 16 \times \phi 12.7mm$
 $\phi 200 \times 20 \times \phi 32mm$

JFMD150/50P

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 250W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 150 \times 20 \times \phi 32mm$
 50*68mm(ABA100) with/without light

JFMD3215HD\3217HD\3220HD\3225HD

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 320/300W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 150 \times 175 \times 20 \times \phi 32mm$
 $\phi 200 \times 25 \times \phi 32mm$
 $\phi 250 \times 32 \times \phi 32mm$

JFMD3215SA

BENCH GRINDER



Power supply: 110/220V ~50/60Hz
 Rated Input Power: 150W
 No-Load Speed: 2950 r/min
 Wheel size: $\phi 150 \times 16 \times \phi 12.7mm$



ANGLE GRINDER

Angle grinder is a household tool designed for abrasive machining, grinding and stripping of stone, metal and other material.



ANGLE GRINDER

JFAG001

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	500W
No-Load Speed:	11000 r/min
Wheel Dia:	115/125mm

JFAG002

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	670W
No-Load Speed:	11000 r/min
Wheel Dia:	115mm

JFAG003

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	710W
No-Load Speed:	11000 r/min
Wheel Dia:	or 3000-11000 r/min 125mm

JFAG004

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	500W/750W/950W/1100W
No-Load Speed:	10500 r/min
Wheel Dia:	100/115/125mm

JFAG005

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	670W
No-Load Speed:	11000 r/min
Wheel Dia:	125mm

JFAG006

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	650W/850W/1050W/1200W
No-Load Speed:	10500RPM/3000-10500RPM
Wheel Dia:	100/115/125mm

JFAG007

ANGLE GRINDER



Rated voltage:	110/220V
Input Power:	750W
No load speed:	11000r/min
Dia of wheel:	115mm
Dia of hole:	22mm
Spindle diameter:	14mm

JFAG008

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	710W
No-Load Speed:	0-11000 r/min
Wheel Dia:	125mm

JFAG009

ANGLE GRINDER



Rated Voltage:	110/220V
Frequency:	50/60 Hz
Rated Input Power:	900W
No-Load Speed:	500-11000 r/min
Wheel Dia:	115/125mm



ANGLE GRINDER

JFAG010

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 750W/900W/1100W
No-Load Speed: 3000~10000 r/min
Wheel Dia: 100/115/125mm

JFAG011

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 850/950/1100W
No-Load Speed: 3000~11000 r/min
Wheel Dia: 115/125mm

JFAG012

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 1050W
No-Load Speed: 3000~10000 r/min
Wheel Dia: 125mm

JFAG013

ANGLE GRINDER



Rated Voltage: 110/220V
Input Power: 1200W
No load speed: 3000~12000r/min
Dia of hole: 22mm
Spindle diameter: 14mm
Dia of wheel: 125mm

JFAG014

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 1200W
No-Load Speed: 0~12000 r/min
Wheel Dia: 150mm

JFAG015

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 1500/1800W
No-Load Speed: 1500~8000 r/min
Wheel Dia: 180mm

JFAG016

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 1500/1800W
No-Load Speed: 1500~8000 r/min
Wheel Dia: 160mm

JFAG017

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 1500/2000W
No-Load Speed: 800~3000 r/min
Wheel Dia: 180/230mm

JFAG018

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 2000W
No-Load Speed: 6500r/min
Wheel Dia: 230mm

JFAG019

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 2200W
No-Load Speed: 6800 r/min
Wheel Dia: 230mm

JFAG020

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 2400W
No-Load Speed: 6000 r/min
Wheel Dia: 230mm

JFAG021

ANGLE GRINDER



Rated Voltage: 110/220V
Frequency: 50/60 Hz
Rated Input Power: 2500W
No-Load Speed: 6000 r/min
Wheel Dia: 230mm

ELECTRIC MINI GRINDER SET



JFMG001

ELECTRIC MINI GRINDER SET



Voltage/Frequency: 110/220V ~50/60Hz
Power rate: 135W
Chuck size: 2.4~3.2mm
2 speeds: 8000~3000RPM
Accessories : 125pcs

JFMG002

ELECTRIC MINI GRINDER SET



Voltage/Frequency: 110/220V ~50/60Hz
Input Power: 135W
Speed: 10000~35000RPM
161pcs accessories,
1pc Flexible driver

JFMG003

ELECTRIC MINI GRINDER SET



Voltage/Frequency: 110/220V ~50/60Hz
Input Power: 135W
Speed: 10000~35000RPM
234pcs accessories

JFMG004

ELECTRIC MINI GRINDER SET



Voltage/Frequency: 110/220V ~50/60Hz
Input Power: 135W
Speed: 8000~30000r/min
Collet Diameters: 0.8~3mm

JFMG005

ELECTRIC MINI GRINDER SET



Voltage/Frequency: 110/220V ~50/60Hz
Input Power: 200W
Speed: 10000~40000r/min
high quantity bearing, soft grips,
1.8m cable, VDE plug
124pcs Accessories with Clear Box

JFMG006

ELECTRIC MINI GRINDER SET



Voltage/Frequency: 110/220V ~50/60Hz
Input Power: 135W
Speed: 10000~35000r/min
high quantity bearing,
1.8m cable, VDE plug
180pcs Accessories with Clear Box



ELECTRIC SCREWDRIVER

JFES001



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 240W
 No Load Speed: 0~800rpm
 Chuck Capacity: 10mm
 Torque setting: 16+1

JFES002



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 280W
 No Load Speed: 0~750rpm
 Chuck Capacity: 10mm
 Torque setting: 23+1

JFES003



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 280W
 No Load Speed: 0~750rpm
 Chuck Capacity: 10mm
 Torque setting: 20+1

JFES004



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 280W
 No Load Speed: 0~750rpm
 No Load Speed: 0~3500~1000rpm
 Chuck Capacity: 10mm
 Torque setting: 20+1

JFES005



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 280W
 No Load Speed: 0~450rpm
 No Load Speed: 0~450~1800rpm
 Chuck Capacity: 10mm
 Torque setting: 23+1

JFES006



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 280W
 No Load Speed: 0~750rpm
 No Load Speed: 0~3500~1000rpm
 Chuck Capacity: 10mm
 Torque setting: 20+1

JFES007



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 280W
 No Load Speed: 0~750rpm
 No Load Speed: 0~3500~1000rpm
 Chuck Capacity: 10mm
 Torque setting: 20+1

JFES008



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Rated Power : 300W
 No Load Speed: 0~450rpm
 No Load Speed: 0~450~1800rpm
 Chuck Capacity: 10mm
 Max Drilling Steel: 10mm
 Torque setting: 23+1

JFES009



ELECTRIC SCREWDRIVER

Rated Voltage: 110/220V
 Rated Power: 800W
 Rated Input Power: 280 W
 No Load Speed: 0~750 rpm
 speed switch

JFES010



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Input power: 300W
 No load speed: 0~400rpm
 Max. torque: 40N.m
 Torque setting: 22+1

JFES011



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Input power: 300W
 No load speed: 0~400rpm
 Max. torque: 40N.m
 Torque setting: 22+1

JFES012



ELECTRIC SCREWDRIVER

Power supply : 110/220V ~50/60Hz
 Input power: 300W
 No load speed: 0~400rpm
 Max. torque: 40N.m
 Torque setting: 22+1

ELECTRIC DRILL



JFED001

ELECTRIC DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60 Hz
 Rated Input Power: 400W
 No-Load Speed: 850rpm
 Drill capacity: 10mm

JFED002

ELECTRIC DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60 Hz
 Rated Input Power: 1050W
 No-Load Speed: 850rpm
 Drill capacity: 10mm

JFED003

ELECTRIC DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60 Hz
 Rated Input Power: 300W
 No-Load Speed: 0~2600rpm
 Drill capacity: 10mm

JFED004

ELECTRIC DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60 Hz
 Rated Input Power: 450W
 No-Load Speed: 0~2800rpm
 Drill capacity: 13mm

JFED005

ELECTRIC DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60 Hz
 Rated Input Power: 600W
 No-Load Speed: 3100rpm
 Drill capacity: 13mm

JFED006

ELECTRIC DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60 Hz
 Rated Input Power: 450W
 No-Load Speed: 0~2600rpm
 Drill capacity: 10mm



IMPACT DRILL

JFID001

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 650W
No-Load Speed: 0-2800 r/min
Drill capacity: 13mm

JFID002

IMPACT DRILL



Rated Voltage: 230V/50 Hz
Rated Input Power: 650/710W
No-Load Speed: 0-3000 r/min
Drill capacity: 13mm
standard accessories: side handle,ruler,chuck key

JFID003

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 710W
No-Load Speed: 0-2800 r/min
Drill capacity: 13mm

JFID004

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 650W
No-Load Speed: 0-3000 r/min
Drill capacity: 13mm

JFID005

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 500W
No-Load Speed: 0-2800 r/min
Drill capacity: 13mm

JFID006

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 800W
No-Load Speed: 0-2800 r/min
Drill capacity: 13mm

JFID007

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 650W
No-Load Speed: 0-3000 r/min
Drill capacity: 13mm

JFID008

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 500W
No-Load Speed: 0-3000 r/min
Drill capacity: 13mm

JFID009

IMPACT DRILL



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Rated Input Power: 500/650/750/850/950W
No-Load Speed: 0-3000 r/min
Drill capacity: 13mm

IMPACT WRENCH



Impact wrench used for tightening,unscrewing fasteners when assembling and disassembling metal structures,removing and installing car wheels etc

JFIW001

IMPACT WRENCH



Voltage/Frequency: 110/220V- 50-60Hz
Power: 520W
No Load Speed: 3500rpm
Max Torque: 3500Nm
Forward: 100Nm
Reverse: 320Nm

JFIW002

IMPACT WRENCH



Voltage/Frequency: 110/220V- 50-60Hz
Power: 450W
No Load Speed: 3600rpm
Forward: 100Nm
Reverse: 350Nm

JFIW003

IMPACT WRENCH



Voltage/Frequency: 110/220V- 50-60Hz
Input Power: 450W
No load speed: 2800RPM
Torque: 400Nm
Forward: 100Nm
Reverse: 12" square connector
4pc sockets(17,19,21,22)

JFIW004

IMPACT WRENCH



Voltage/Frequency: 110/220V- 50-60Hz
Power: 1010W
No Load Speed: 2200rpm
Max Torque: 450Nm

JFIW005

IMPACT WRENCH



Voltage/Frequency: 110/220V- 50-60Hz
Input Power: 710W
No load speed: 3300RPM
Torque: 500Nm
Forward: 12" square connector
4pc sockets(17,19,21,22)

JFIW006

IMPACT WRENCH



Voltage/Frequency: 110/220V- 50-60Hz
Power: 710W
No Load Speed: 3000rpm
Max Torque: 500Nm
Forward: 100Nm
Reverse: 500Nm



JIG SAW

JFJS001

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W
No load speed: 3000RPM
Max Cutting Capacity:
Wood: 55mm
Steel: 5mm

JFJS002

JIG SAW



Power supply: 110/220V~50/60Hz
Rate Input Power: 400W
No-load Speed: 0-3300mm
Max Cutting Capacity:
Wood: 55mm
Steel: 5mm

JFJS003

JIG SAW



Power supply: 110/220V~50/60Hz
Rated Input Power: 400W
No-load Speed: 0-2800 r/min
Max Cutting Capacity
Wood: 55mm
Steel: 6mm

JFJS004

JIG SAW



Power supply: 110/220V~50/60Hz
Rated Input Power: 500W
No-load Speed: 3000RPM
Max Cutting Capacity
Wood: 55mm
Steel: 5mm

JFJS005

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W
No load speed: 0-3000RPM
Max Cutting Capacity:
Wood: 55mm
Steel: 5mm

JFJS006

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W
No load speed: 0-3000RPM
Max cutting capacity :
wood: 55mm
steel: 5mm

JFJS007

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W
No load speed: 0-3000RPM
Max Cutting Capacity
Wood: 55mm
Steel: 5mm

JFJS008

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W
No load speed: 0-3000RPM
Max Cutting Capacity
Wood: 55mm
Steel: 5mm

JFJS009

JIG SAW



Power supply: 110/220V~50/60Hz
Rated Input Power: 630W/710W/800W
No-load Speed: 0-3000 r/min
Max Cutting Capacity
Wood: 55mm
Steel: 5mm

JIG SAW

JFJS010

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W
No load speed: 0-3000RPM
Max cutting capacity : wood 55/65mm steel 5/8mm
6speed control

JFJS011

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 500W/650W/750W/850W
No load speed: 0-3000RPM
Max cutting capacity : wood 55/65/85mm steel 5/8/8mm
6speed control+Laser+lift+quick change

JFJS012

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 650W
No load speed: 0-3000RPM
Max cutting capacity : wood 55/65/85mm steel 5/8/8mm
6speed control+quick change+Laser+lift

JFJS013

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 650/850W
No load speed: 0-3000RPM
Max cutting capacity : wood: 65mm steel: 8mm
6speed control+quick change+Laser+lift

JFJS014

JIG SAW



Power supply: 110/220V~50/60Hz
Rated Input Power: 650/800W
No-load Speed: 0-3000 r/min
Variable speed +quick change+Laser+lift
Max Cutting Capacity Wood: 65/80mm
Steel: 5mm

JFJS015

JIG SAW



Power supply: 110/220V~50/60Hz
Rated Input Power: 710W
No-load Speed: 0-3000 r/min
Variable speed Max Cutting Capacity: 80mm wood
Max Cutting Capacity: 10mm steel
Max cutting angle : -45 to +45

JFJS016

JIG SAW



Power supply: 110/220V~50/60Hz
Power: 800W
No load Speed: 0-3000RPM
Max Cutting Capacity:
Wood: 80mm
Steel: 10mm

JFJS017

JIG SAW



Power supply: 110/220V~50/60Hz
Rated Input Power: 800W
No load Speed: 0-3000 r/min
Max cutting Cap Wood 90° : 80mm
Steel 90° : 6mm

JFJS018

JIG SAW



Aluminum base and shoes

Power supply: 110/220V~50/60Hz
Power: 750W
No load Speed: 800-3000RPM
Stork length: 22mm
Bevel Cutting: -45° to 45°
Max cutting capacity : 100mm Wood



MARBLE CUTTER

JFMC001

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 11000 r/min
Blade: 110mm

JFMC002

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 11000 r/min
Blade: 110mm

JFMC003

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 11000 r/min
Blade: 110mm

JFMC004

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 11000 r/min
Blade Diameter: 110mm

JFMC005

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 11000 r/min
Blade Diameter: 110mm

JFMC006

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1250W
No-Load Speed: 12000 r/min
Blade Diameter: 110-125mm
Cutting Depth: 32-40mm

JFMC007

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1250W
No-Load Speed: 13500 r/min
Blade Diameter: 110-125mm
Cutting Depth: 32-40mm

JFMC008

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1250W
No-Load Speed: 13500 r/min
Blade Diameter: 110-125mm
Cutting Depth: 32-40mm

JFMC009

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1450W
No-Load Speed: 15000 r/min
Blade Diameter: 110-125mm
Cutting Depth: 32-40mm

JFMC010

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1400W
No-Load Speed: 11000 r/min
Blade Diameter: 125mm 0-45°

JFMC011

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1600W
No-Load Speed: 13500 r/min
Blade Diameter: 110mm
Cutting Depth: 32mm

JFMC012

MARBLE CUTTER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1600W
No-Load Speed: 12000 r/min
Blade Diameter: 125mm

CIRCULAR SAW

JFCC01

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 800W
No load speed: 5000r/min
Blade outer diameter: 140mm
Cutting capacity: 90° /45mm 45° /30mm

JFCC02

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 800W
No load speed: 4500r/min
Blade size: 185mm
Max cutting capacity: 45 /65mm

JFCC03

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1200W
No load speed: 4500r/min
Blade size: 185mm
Max cutting capacity: 45 /65mm

JFCC04

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1100W
No load speed: 4900r/min
Blade size: 160mm

JFCC05

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1400W
No load speed: 4800r/min
Blade size: 165mm

JFCC06

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1800W
No load speed: 6000r/min
Max cutting capacity: 200mm
Cutting depth: 50/70mm

JFCC07

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1200W
No load speed: 5500r/min
Blade size: 185mm

JFCC08

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1300W
No load speed: 5000r/min
Max cutting capacity: 90° /45mm 45° /30mm

JFCC09

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1600W
No load speed: 5000r/min
Max cutting capacity: 150mm
Cutting capacity: 90° /65mm 45° /44mm

JFCC10

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1800W
No load speed: 5300r/min
Max cutting capacity: 210mm
Cutting capacity: 90° /75mm 45° /50mm

JFCC11

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1400W
No load speed: 5500r/min
Max cutting capacity: 185MM
Max cutting depth: 90° /62mm 45° /48mm

JFCC12

CIRCULAR SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 580W
No load speed: 3700r/min
Saw blade Diameter: 115MM
Max cutting depth: 90° /42.8mm 45° /28mm



RECIPROCATING SAW

JFR5001 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 710W
No Load Speed: 0-2800rpm
Stroke length: 20mm
Rotary handle

JFR5002 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 710W
No Load Speed: 0-2800rpm
Stroke length: 20mm
blade change, tool front shoe adjustment

JFR5003 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 750 W
Speed: 0-2800 r/min
Reciprocating stroke: 22mm

JFR5004 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 850W
No Load Speed: 0-2800rpm
Stroke length: 20mm
Rotary handle, LED light

JFR5005 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 900W
Max cutting wood: 115mm
Stroke: 20mm
Speed: 0-2800 rpm
Quick chuck

JFR5006 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 710W
No load speed: 0-2800 rpm
Max cutting capacity: 115mm
Reciprocating stroke: 20mm

JFR5007 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated power: 850W
No load speed: 0-2800 SPM
Max cutting capacity: 150mm
Reciprocating stroke: 20mm

JFR5008 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated power: 1100W
No load speed: 0-2800 SPM
Max cutting capacity: 150mm
Reciprocating stroke: 28mm

JFR5009 RECIPROCATING SAW



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated power: 1200W
No load speed: 0-2800 SPM
Max cutting capacity: 210mm
Reciprocating stroke: 30mm

HEAT GUN

JFHG001 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min

JFHG002 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min

JFHG003 HEAT GUN



Input Power: 2000W
Temperature: 60/350/600°C
Air Output: 1:500/300/500L/min

JFHG004 HEAT GUN



Input Power: 2000W
Temperature: 1:300L/min II:500L/min
Air Output:

JFHG005 HEAT GUN



Input Power: 1600W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min

JFHG006 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min

JFHG007 HEAT GUN



Input Power: 1600W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min
Input Power: 2000W
Temperature: 1:60°C II:350°C II:600°C
Air Output: 1:500L/min II:300L/min III:500L/min

JFHG008 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min
Input Power: 2000W
Temperature: 1:60°C II:350°C II:600°C
Air Output: 1:500L/min II:300L/min III:500L/min

JFHG009 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min
Input Power: 2000W
Temperature: 1:60°C II:350°C II:600°C
Air Output: 1:500L/min II:300L/min III:500L/min

JFHG010 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min
Input Power: 2000W
Temperature: 1:60°C II:350°C II:600°C
Air Output: 1:500L/min II:300L/min III:500L/min

JFHG011 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min
Input Power: 2000W
Temperature: 1:60°C II:350°C II:600°C
Air Output: 1:500L/min II:300L/min III:500L/min

JFHG012 HEAT GUN



Input Power: 2000W
Temperature: 1:350°C II:600°C
Air Output: 1:300L/min II:500L/min
Input Power: 2000W
Temperature: 1:60°C II:350°C II:600°C
Air Output: 1:500L/min II:300L/min III:500L/min



SPRAY GUN

JFSG001

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	650W	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	80cP/sec	
Plastic Nozzle:	2.5mm	
Cable length:	1.8m	

JFSG002

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	650W	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	80cP/sec	
Plastic nozzle:	2.5mm	
Cable length:	1.8m	

JFSG003

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	650W	
Max. Flow:	1000ml/min	
Capacity:	1000ml	
Max. viscosity:	80cP/sec	
Brass Nozzle:	1.8mm	
Cable length:	1.8m	

JFSG004

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	450W (400W/6500W)	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	80cP/sec	
Plastic nozzle:	2.5mm	
Cable length:	1.8m	

JFSG005

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	450W (400W/6500W)	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	80cP/sec	
Plastic nozzle:	2.5mm	
Cable length:	1.8m	

JFSG006

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	450W (400W/6500W)	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	80cP/sec	
Plastic nozzle:	2.5mm	
Cable length:	1.8m	

JFSG007

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	450W (400W/6500W)	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	100cP	
Brass Nozzle:	1.5/1.8/2.0mm	
Cable length:	1.8m	

JFSG008

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	400W/600W	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	80cP/sec	
Plastic nozzle:	2.5mm	
Cable length:	1.8m	

JFSG009

SPRAY GUN



Voltage:	110V/220V	50-60Hz
Rated Power:	450W (400W/6500W)	
Max. Flow:	650ml/min	
Capacity:	800ml	
Max. viscosity:	100cP	
Brass Nozzle:	1.5/1.8/2.0/2.5mm	
Cable length:	1.8m	

MULTI-FUNCTION OSCILLATING

Multi-tools is designed for cutting grooves and sawing blanks from wood, chipboard, plastic and soft non-ferrous metals.



JFMT01

MULTI TOOL



Voltage:	110/220V-50-60Hz	
Power:	300W	
No-Load Speed:	52°40m motor 6000-22000 r/min	

JFMT02

MULTI TOOL



Voltage:	110/220V-50-60Hz	
Rate Input Power:	500W	
No-load Speed:	15000-22000r/min	
Dia. Of Wheel:	80mm	

JFMT03

MULTI TOOL



Voltage:	110/220V-50-60Hz	
Rate Input Power:	200W	
No-load Speed:	21000r/min	
Dia. Of Wheel:	80mm	

JFMT04

MULTI TOOL



Voltage:	110/220V-50-60Hz	
Rate Input Power:	400w	
No-load Speed:	15000-22000r/min	
Dia. Of Wheel:	90mm	

JFMT05

MULTI TOOL



Voltage:	110/220V-50-60Hz	
Rate Input Power:	400w	
No-load Speed:	10000-16000r/min	
Dia. Of Wheel:	90mm	

JFMT06

MULTI-FUNCTION OSCILLATING



Voltage:	110/220V-50-60Hz	
Power:	300W	
Variable speed:	15000-22000RPM	
Oscillating rate:	3	
Magnet inserted:	kickback protection function equipped	
Professional design:		



SHARPENER TOOLS / ELECTRIC ROUTER & ENGRAVER

JFCSH01

CHAIN SAW SHARPENER



Volatage : 110/220V~ 50-60Hz
 Input Power: 250W
 Max Speed: 8400rpm
 Grinding wheel: 100*10*3,2mm

JFCSH02

CHAIN SAW SHARPENER



Volatage : 110/220V~ 50-60Hz
 Input Power: 85W
 Max Speed: 5000rpm
 Grinding wheel: 104*22*3,2mm

JFCSH03

CHAIN SAW SHARPENER



Volatage : 110/220V~ 50-60Hz
 Input Power: 85W
 Max Speed: 5000rpm(No load)
 Grinding wheel: 108*22*3,2mm

JFER001

ELECTRIC ROUTER



Volatage : 110/220V~ 50-60Hz
 Rated Input Power: 1500W
 No-Load Speed: 30000r/min

JFER002

ELECTRIC ROUTER



Volatage : 110/220V~ 50-60Hz
 Rated Input Power: 800W
 No-Load Speed: 4000-30000r/min

JFEE001

ELECTRIC ENGRAVER



Volatage : 110/220V~ 50-60Hz
 Disc Diameter: 12*12.7MM
 Rated Power Input: 1800W
 No-Load Speed: 23000r/min

JFEE002


ELECTRIC ENGRAVER



Volatage : 110/220V~ 50-60Hz
 Rated Input Power: 1400W
 No-Load Speed: 15000r/min
 Blad diameter: 8mm



HAMMER DRILL



JFRH001

ROTARY HAMMER SDS PLUS



Rated Voltage: 110/220 V
 Frequency: 50/60Hz
 Rated Input Power: 800W
 No-load speed: 850r/min
 No-load impact rate: 4000bpm

JFRH002

ROTARY HAMMER SDS PLUS



Rated Voltage: 110/220 V
 Frequency: 50/60Hz
 Rated Input Power: 900/1350/1500W
 No-load impact rate: 850r/min
 Drill capacity: 32mm
 Two-function or three functions

JFRH003

HAMMER DRILL



Rated Voltage: 110/220 V
 Frequency: 50/60Hz
 Rated Input Power: 850W
 No-Load Speed: 200-880r/min
 Drill capacity: 25mm
 Speed Control

JFRH004

ROTARY HAMMER SDS MAX



Three-function

Rated Voltage: 110/220 V
 Frequency: 50/60Hz
 Rated Input Power: 1600W
 No-load speed: 680r/min
 No-load impact rate: 4500bpm
 SDS MAX

JFRH005

ROTARY HAMMER



Rated Voltage: 110/220 V
 Frequency: 50/60Hz
 Rated Input Power: 600W
 No-Load Speed: 0-850 r/min
 Drill capacity: 20mm
 BMC box packing

JFRH006

ROTARY HAMMER



Rated Voltage: 110/220 V
 Frequency: 50/60Hz
 Rated Input Power: 800W
 No-Load Speed: 0-900 r/min
 Drill capacity: 20mm
 BMC box packing



DEMOLITION HAMMER



The Demolition Hammer used for drilling holes in concrete for building working

JFDH01
DEMOLITION HAMMER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1340W
No-Load Speed: 2400r/min
Hammer energy: 50J

JFDH02
DEMOLITION HAMMER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1650W
No-Load Speed: 2400r/min
Hammer energy: 50J

JFDH03
DEMOLITION HAMMER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1700W
No-Load Speed: 1400r/min
Hammer energy: 70J

JFDH04
DEMOLITION HAMMER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1650W
No-Load Speed: 1800r/min
Hammer energy: 50J

JFDH05
DEMOLITION HAMMER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1700W
No-Load Speed: 1900r/min
Hammer energy: 50J



packing and accessories options

ELECTRIC VIBRATOR

The vibrator machine widely used in construction site, solve the problem of cement and concrete voids, road laying etc



JFEV001
ELECTRIC VIBRATOR



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated Input Power: 750/800W
No-Load Speed: 5600 r/min
Vibrator Shaft: 1/1.5/2M

JFEV002
ELECTRIC VIBRATOR



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated Input Power: 800W
No-Load Speed: 3100 r/min
Vibrator Shaft: 1/1.5/2M

JFEV003
ELECTRIC VIBRATOR



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated Input Power: 800W
No-Load Speed: 3100 r/min
Vibrator Shaft: 1/1.5/2M

JFEV004
ELECTRIC VIBRATOR



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated Input Power: 800W
No-Load Speed: 3100 r/min
Vibrator Shaft: 1/1.5/2M

JFEV005
ELECTRIC VIBRATOR



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated Input Power: 950/1000W
No-Load Speed: 4300 r/min
Vibrator Shaft: 1/1.5/2M

JFEV006
ELECTRIC VIBRATOR



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated Input Power: 950W
No-Load Speed: 4300 r/min
Vibrator Shaft: 1/1.5/2M

DRYWALL SANDER



JFDW5001

DRYWALL SANDER



Rated voltage: 110/220V ~50/60Hz
 Rated Power: 710W
 No load speed: 1200~2300r/min
 Pad Diameter: 176mm
 Sandpaper Diameter: 178mm
 Cable length: 3.5m

JFDW5002

DRYWALL SANDER



Rated Voltage: 110V/220V 50/60Hz
 Rated power: 850W
 No. Load speed: 1200~2300RPM
 Pad diameter: 180mm
 Sandpaper Diameter: 180mm
 with soft start speed control

JFDW5003

DRYWALL SANDER

- 1: self-suction dust fully
- 2: light weight for easy taking
- 3: longer work life(AC motor)
- 4: led lamp



Rated voltage: 110/220V ~50/60Hz
 Rated Power: 710W
 No load speed: 1200~2500r/min
 Pad Diameter: 176mm
 Sandpaper Diameter: 178mm
 Cable length: 4m

JFDW5004

DRYWALL SANDER



Rated voltage: 110/220V ~50/60Hz
 Rated Power: 800W
 No load speed: 800~1800r/min
 Pad Diameter: 215mm
 Sandpaper Diameter: 225mm
 Cable length: 3.5m

JFDW5005

DRYWALL SANDER



Rated voltage: 110/220V ~50/60Hz
 Rated Power: 800W
 No load speed: 800~1800r/min
 Pad Diameter: 215mm
 Sandpaper Diameter: 225mm
 Cable length: 3.5m

JFDW5006

DRYWALL SANDER



Rated voltage: 110/220V ~50/60Hz
 Rated Power: 760W
 No load speed: 800~1750r/min
 Pad Diameter: 215mm
 Sandpaper Diameter: 225mm
 Cable length: 3.5m

ELECTRIC BLOWER

JFEB001

ELECTRIC BLOWER



Rated voltage: 110/220V ~50/60Hz
 Rated power: 250/450/550W
 Blowing Rate: 2.3m³/min
 No_Load speed: 13000/13600/16000r/min

JFEB002

ELECTRIC BLOWER



Rated voltage: 110/220V ~50/60Hz
 Rated power: 0~550W
 Blowing Rate: 2.8m³/min
 No_Load speed: 0~16000r/min

JFEB003

ELECTRIC BLOWER



Rated voltage: 110V/220V ~50/60Hz
 Rated power: 680~780W
 Blowing Rate: 3.8m³/min
 No_Load speed: 0~18000r/min

JFEB004

ELECTRIC BLOWER



Rated voltage: 110/220V ~50/60Hz
 Rated power: 500W
 Blowing Rate: 2.3m³/min
 No_Load speed: 13600r/min

JFEB005

ELECTRIC BLOWER



Rated voltage: 110/220V ~50/60Hz
 Rated input Power: 750W
 Two-speed control
 Air volume: 360km/h
 660m³/h

JFEB006

ELECTRIC BLOWER

3S, collection bag
 3 in 1 function, Vacuum+Blower+Mulcher



Rated voltage: 110/220V ~50/60Hz
 Power: 2000W/2400W/2500W/2600W
 No load speed: 9000~15000r/min
 Max. Air volume: 13.2m³/min
 270km/h

JFEB007

ELECTRIC BLOWER

3S, collection bag
 3 in 1 function, Vacuum+Blower+Mulcher



Rated voltage: 110/220V ~50/60Hz
 Power: 2000W/2400W/2500W/2600W
 No load speed: 9000~15000r/min
 Max. Air volume: 13.2m³/min
 Max. Air speed: 270km/h

JFEB008

ELECTRIC BLOWER



Rated voltage: 110/220V ~50/60Hz
 power: 3300W
 No load speed: 14000r/min
 Max Air Speed: 270km/h
 Max Air volume: 13.2m³/min

JFEB009

ELECTRIC BLOWER


3S, collection bag
 3 in 1 function, Vacuum+Blower+Mulcher



Rated voltage: 110/220V ~50/60Hz
 Power: 2000W/2400W/2500W/2600W
 No load speed: 9000~15000r/min
 Max. Air volume: 13.2m³/min
 Max. Air speed: 270km/h



CAR POLISHER



The polishing machine is used for polishing painted metal surfaces such as car bodywork



JFCP001

CAR POLISHER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 400W
No-Load Speed: 0-2800 r/min
Wheel Dia: 125mm

JFCP002

CAR POLISHER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 600-3000 r/min
Wheel Dia: 180mm

JFCP003

CAR POLISHER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Power: 1000W
No Load Speed: 0-4800RPM
Disc Dia: 150/180mm

JFCP004

CAR POLISHER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1200W
No-Load Speed: 600-3000 r/min
Wheel Dia: 180mm

JFCP005

CAR POLISHER



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 1400W
No-Load Speed: 1000-3000 r/min
Wheel Dia: 180mm

JFCP006

CAR POLISHER



Rated voltage: 110V/220V
Input Power: 50-60Hz
No load speed: 800-4500r/min
Dia of wheel: 180mm
Dia of hole: 22mm
Spindle diameter: 14mm

CUT-OFF MACHINE



JFCM001

CUT-OFF MACHINE



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Power: 2200W
No load speed: 3800 r/min
Cutting disc size: 355mm

JFCM002

CUT-OFF MACHINE



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 2200W
No-Load Speed: 3800 r/min
Blade Diameter: 355mm

JFCM003

CUT-OFF MACHINE



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 2200W
No-Load Speed: 3800 r/min
Blade Diameter: 355mm

JFCM004

CUT-OFF MACHINE



Rated Voltage: 110/220 V
Frequency: 50/60Hz
Rated input power : 2200W
Cutting disc size: 355mm
No loading speed: 3800r/min
Max vice angle: 45°

JFCM005

CUT-OFF MACHINE



Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 2200W
No-Load Speed: 2800 r/min
Blade Diameter: 400mm

JFCM006

CUT-OFF MACHINE




Rated Voltage: 110/220V
Frequency: 50/60Hz
Rated Input Power: 3000W
No-Load Speed: 2800 r/min
Blade Diameter: 400mm



MITER SAW

Miter saw is professional cutting & saw tools. can be cutting Cut all kinds of materials.



JFMS001

MITER SAW



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 1800W
No-Load Speed: 5000r/min
Blade Diameter: 255mm

JFMS002

MITER SAW



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 1800W
No-Load Speed: 5500r/min
Blade Diameter: 255mm

JFMS003

MITER SAW



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 1200/1600W
No-load Speed: 4800r/min
Blade Diameter: 210x255mm

JFMS004

MITER SAW



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 1800W
No load speed: 5000r/min
Blade diameter: 255mm

JFMS005

MITER SAW



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 1400W
No load speed: 6000r/min
Blade diameter: 255mm

JFMS006

MITER SAW



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 1200/1250W
No load speed: 5000/6000r/min
Blade diameter: 210mm

ELECTRIC MIXER

Electric mixer with strong power motor used for mix concrete, cement, putty powder, etc.



JFEM001

ELECTRIC MIXER



Voltage/Frequency: 110V/220V 50-60Hz
Input Power: 900W/1050W
Speed: 0-900r/min
Connection: M14 590*120MM
Max. Mixing Paddle Dia.: 120*140mm

JFEM002

ELECTRIC MIXER



Voltage/Frequency: 110V/220V 50-60Hz
Input Power: 1400W
Connection: M14
Max. Mixing Paddle Dia.: 120mmx50mm
Speed: I: 0-630rpm, II: 0-930rpm

JFEM003

ELECTRIC MIXER



Voltage/Frequency: 110V/220V 50-60Hz
Input Power: 1200W
Connection: M14
Max. Mixing Paddle Dia.: 120mmx50mm
Speed: I: 0-700rpm

JFEM004

ELECTRIC MIXER



Voltage/Frequency: 110V/220V 50-60Hz
Input Power: 1400W
Connection: M14
Max. Mixing Paddle Dia.: 110mmx570mm
Speed: I: 0-560rpm, II: 750rpm

JFEM005

ELECTRIC MIXER



Voltage/Frequency: 110V/220V 50-60Hz
Input Power: 1600W
Connection: M14
Max. Mixing Paddle Dia.: 140mmx590mm
Speed: I: 0-600rpm, II: 0-800rpm

JFEM006

ELECTRIC MIXER



Voltage/Frequency: 110V/220V 50-60Hz
Input Power: 1600W
Connection: M14
Max. Mixing Paddle Dia.: 110x570mm
Speed: I: 0-600rpm, II: 0-800rpm



ELECTRIC SANDER

JFSA001

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 180W
No load speed: 13000 r/min
Pad size: 110x105mm

JFSA002

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 240W
No load speed: 12000 r/min
Pad size: 125mm

JFSA003

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 130W
No load speed: 13000 r/min
Base plate: 140x140x90mm
Eccentricity: 1.0mm

JFSA004

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 350W
No load speed: 6000-13000 r/min
Base plate: 125mm
Eccentricity: 15mm soft grip handle

JFSA005

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 200W
No load speed: 13000 r/min
Base plate: 167x60mm
Eccentricity: 1.0mm

JFSA006

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 350W
No load speed: 6000-13000 r/min
Pad size: 125mm

JFSA007

ELECTRIC SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 220W
No load speed: 14000 r/min
Sander pad size: 140*140*90mm

JFSA008

BELT SANDER



Rated Voltage: 110V/220V 50-60Hz
Input power: 220W
No load speed: 14000 r/min
Sanding pad size: 110x100mm

JFSA009

ELECTRIC SANDER



Voltage/Frequency: 110V/220V 50-60Hz
Input power: 150W
No load speed: 12000 rpm
Sanding pad size: 187x90 mm

JFSA010

BELT SANDER



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 800W
No-Load Speed: 0-2800r/min
Belt size: adjustable front handle,belt 80 mesh 1pc

JFSA011

BELT SANDER



Rated Voltage: 110V/220V 50-60Hz
Power: 810W
No load speed : 380r/min
200-380r/min
Sanding belt size: 533x76mm

JFSA012

BELT SANDER



Rated Voltage: 110V/220V 50-60Hz
Power: 850W
Rated Input Power: 850W
No-Load Speeds: 380r/min
No-Load Speed: 200-380r/min
Sanding belt size: 457x76mm

TABLE PLANER



JFEP001

ELECTRIC PLANER



Rated Voltage: 110V/220V 50-60Hz
Rated Input Power: 600W
No-Load Speed: 15000r/min
Blad diameter: 82MM

JFEP002

ELECTRIC PLANER



Voltage/Frequency: 110V/220V 50-60Hz
Power: 1200W
No load speed: 15000rpm
Planing width: 110mm
Cutting depth: 0-3.5mm
Rabbeting depth: 0-15.5mm

JFEP003

ELECTRIC PLANER



Voltage: 110V/220V 50-60Hz
Power: 710W
No Load Speed: 16000rpm
Planing depth: 2mm
Planing width: 82mm
Rabbeting depth: 0-10mm

JFEP004

ELECTRIC PLANER



Voltage/Frequency: 110V/220V 50-60Hz
Power: 900W
No load speed : 16000rpm
Planing width : 82mm
Cutting depth: 0-3mm
Rabbeting depth : 0-15.5mm

JFEP005

ELECTRIC PLANER



Voltage/Frequency: 110V/220V 50-60Hz
Power: 900W
No load speed : 16000rpm
Planing width : 82mm
Cutting depth: 0-3mm
Rabbeting depth : 0-15.5mm

JFEP006

ELECTRIC PLANER



Voltage/Frequency: 110V/220V 50-60Hz
Power: 900W
No load speed : 16000rpm
Planing width : 82mm
Cutting depth: 0-3mm
Rabbeting depth : 0-15.5mm

JFTP001

THICKNESS PLANER



Basic materials: aluminum die casting, sheet metal parts
Voltage/frequency: 220V 50/60Hz 1850W
No-load speed: 8500r/min
The feed speed is 8 m/min
Maximum planing width: 330mm
Maximum cutting height: ≤160mm

JFTP002

THICKNESS PLANER



Motor: 220V/50Hz 2000W
Speed: 8000r/min
Feed speed: 6m/min
Planing Width: 330mm
Planing Depth: 0-3mm

Planing height: 6-160mm
Dust hood diameter: 4550mm
Working table size: 330x290mm
Exterior size: 525x650x490mm
No. of blade: 2



AIR COMPRESSOR /AIR PUMP



JFAC001

AIR COMPRESSOR



Voltage: 127/220 Volts (Bivolt) with selector switch
 Power: 1/2 hp
 Current: 5.0/2.3A
 Air displacement: 110 L/min | 38 gpm
 Maximum work pressure: 40PSI/3~3.2 bar with accessories options

JFAC002

AIR COMPRESSOR



Rated Voltage: 110/220V
 Frequency: 50Hz/60Hz
 Rated Input Power: 450W
 Power: 1/2 hp
 Current: 5.0/2.3A
 Maximum work pressure: 40PSI/3~2.8 bar

JFAP001

AIR PUMP



Input: DC12V
 Power: 180W
 Max Pressure: 10Kg(150PSI)
 Air Tube length: 60cm
 Speed: 4SL/min
 3 air accessories

JFAP002

AIR PUMP



Voltage: DC12V
 Power: 120W
 Power cord: 3m
 Air flow: 27L/min
 Air Tube length: 60cm
 Motor: copper

LASER LEVEL



JFLL01

LASER LEVEL



Laser wave length: 635nm
 Level accuracy: ± 1mm/5m
 Spot accuracy: ± 1mm/5m
 Width of line: 2mm/5m
 Self leveling range: ± 3°
 Power Supply: AA battery/ Li Battery

JFLL02

LASER LEVEL



Laser wave length: 635nm
 Level accuracy: ± 1mm/5m
 Spot accuracy: ± 1mm/5m
 Width of line: 2mm/5m
 Self leveling range: ± 4°
 Power Supply: AA battery/ Li Battery

JFLL03

LASER LEVEL



Laser wave length: 635nm
 Level accuracy: ± 1mm/5m
 Spot accuracy: ± 1mm/5m
 Width of line: 2mm/5m
 Self leveling range: ± 5°
 Power Supply: AA battery/ Li Battery

JFLL04

LASER LEVEL



Laser wave length: 635nm
 Level accuracy: ± 1mm/5m
 Spot accuracy: ± 1mm/5m
 Width of line: 2mm/5m
 Self leveling range: ± 4°
 Power Supply: AA battery/ Li Battery

JFLL05

LASER LEVEL



Laser wave length: 635nm
 Level accuracy: ± 1mm/5m
 Spot accuracy: ± 1mm/5m
 Width of line: 2mm/5m
 Self leveling range: ± 7°
 Power Supply: AA battery/ Li Battery

JFLL06

LASER LEVEL



Laser wave length: 635nm
 Level accuracy: ± 1mm/5m
 Spot accuracy: ± 1mm/5m
 Width of line: 2mm/5m
 Self leveling range: ± 8°
 Power Supply: AA battery/ Li Battery



DRILL PRESS / TABLE SAW



JFDP01

DRILL PRESS



Motor: 230V~120V~ 50/60Hz 250W Spindle-Table Distance: 220mm
 Max Drilling Diameter: 13mm Spindle-Base Distance: 300mm
 Chuck Capacity: 1.5-13mm Swing: 210mm
 Spindle Travel: 50mm Table Size: 180*100mm
 Class Of speed: S Base Size: 290*190mm
 Speed: 520-3200RPM-3140RPM M Column Diameter: 48mm
 Spindle Taper: B16 Column Diameter: 48mm
 Spindle-column Distance: 105mm Height: 580mm

JFDP02

DRILL PRESS



Motor: 230V~120V~ 50/60Hz 500W Spindle-Table Distance: 245mm
 Max Drilling Diameter: 16mm Spindle-Base Distance: 320mm
 Chuck Capacity: 3-16mm Swing: 230mm
 Spindle Travel: 50mm Table Size: 190*125mm
 Class Of speed: S Base Size: 320*195mm
 Speed: 620-3500RPM-3000RPM M Column Diameter: 48mm
 Spindle Taper: B16 Column Diameter: 48mm
 Spindle-column Distance: 115mm Height: 610mm

JFT5001

TABLE SAW



Power: 2200W
 No load speed: 5500rpm
 Cutting height: 80mm(90°) 50mm(45°)
 Machine size: 94 × 60 × 82cm
 Distance from saw blade to back rest: 40CM
 Saw blade diameter: 255mm

JFT5002

TABLE SAW



Voltage: 230V/50Hz Power: 1500W
 Loading speed: 4700 rpm Max. cutting capacity: 41° 50° 7.4MM
 At 45°: 63MM At 45°: 63MM
 Extraction port: 38mm Blade: 250*70*2.8*301

Alu main table size: 550*750mm
 With 4x left/right blade extension table
 Total table size: 1050*750MM
 Table height: 850mm
 With quick assembly stand
 With fence and push stick
 With overload protector

JFT5003

TABLE SAW



Voltage: 230V~50Hz Power: 1200W
 Load speed: 4300 rpm Max. cutting capacity: Al 50° 54mm
 At 45°: 45mm

Extraction port: 38mm
 Blade: 250*70*2.8*301
 Steel table size: 430x530mm
 Table height: 270mm
 With fence
 With angle guide
 With overload protector

JFT5004

TABLE SAW



Rated voltage: 230V/50Hz Table size: 530*360mm, 390*385mm
 Rated input power: 405W Max cutting depth: 33mm (90°) 21mm (45°)
 No-Load Speed: 2950rpm Exterior size: 347*307*197mm
 Blade: 180*72*2.2mm Packing size: 385*330*250mm
 Table string range: 0-40°

VACUUM CLEANER

Vacuum cleaner is household cleaning machine, used to remove dust, dandruff, stains and other tiny particles in the home.



JFVC001

VACUUM CLEANER



Voltage/Frequency: 110V/220V 50-60Hz
 Power: 1200W
 Vacuum: 190pa
 Capacity: 15L
 Cable length: 4M
 Material of tank : SS
 Hose length: 1.5M

JFVC002

VACUUM CLEANER



Voltage/Frequency: 110V/220V 50-60Hz
 Power: 1200W
 Vacuum: 190pa
 Capacity: 20L
 Cable length: 4M
 Material of tank : SS
 Hose length: 1.5M

JFVC003

VACUUM CLEANER



Voltage/Frequency: 110V/220V 50-60Hz
 Power: 1200W
 Vacuum: 190pa
 Capacity: 25L
 Cable length: 4M
 Material of tank : SS
 Hose length: 1.5M

JFVC004

VACUUM CLEANER



Voltage/Frequency: 110V/220V 50-60Hz
 Power: 1200W
 Vacuum: 190pa
 Capacity: 20L
 Cable length: 4.5M
 Material of tank : SS
 Hose length: 1.5M

JFVC005

VACUUM CLEANER



Voltage/Frequency: 110V/220V 50-60Hz
 Power: 1200W
 Vacuum: 190pa
 Capacity: 35L
 Cable length: 4.5M
 Material of tank : SS
 Hose length: 1.5M

JFVC006

VACUUM CLEANER



Voltage/Frequency: 110V/220V 50-60Hz
 Power: 1200W
 Vacuum: 190pa
 Capacity: 65L
 Cable length: 4.5M
 Material of tank : SS
 Hose length: 1.5M



GASOLINE CHAIN SAW/BRUSH CUTTER

JFGCS2500

GASOLINE CHAIN SAW



Power: 900W
Fuel mixture Ratio: 25:1
Fuel tank capacity: 230ml
Engine oil tank capacity: 160ml
Ignition system: C.D.1
Guide bar size: 10"

JFGCS3800

GASOLINE CHAIN SAW



Power: 1.3KW
Fuel mixture Ratio: 25:1
Fuel tank capacity: 310ml
Engine oil tank capacity: 210ml
Ignition system: C.D.1
Guide bar size: 14"

JFGCS4500

GASOLINE CHAIN SAW



Power: 1.8KW
Fuel mixture Ratio: 25:1
Fuel tank capacity: 550ml
Oil tank capacity: 260ml
Ignition system: C.D.1
Guide bar size: 18"

JFGCS2200

GASOLINE CHAIN SAW



Power: 2.1KW
Fuel mixture Ratio: 25:1
Fuel tank capacity: 550ml
Oil tank capacity: 260ml
Ignition system: C.D.1
Guide bar size: 20"

JFGCS5800

GASOLINE CHAIN SAW



Power: 2.5KW
Fuel mixture ratio: 25:1
Fuel tank capacity: 560ml
Engine oil tank capacity: 270ml
Ignition system: C.D.1
Guide size: 20"

JFGCS6200

GASOLINE CHAIN SAW



Power: 2.5KW/8000RPM
Fuel mixture ratio: 25:1
Fuel tank capacity: 560ml
Engine oil tank capacity: 270ml
Ignition system: C.D.1
Guide size: 20"

JFBC43CC

GASOLINE BRUSH CUTTER



Power: 1.3kw
Displacement: 42.7CC
Fuel tank Capacity: 800ml
Shaft diameter: 26mm
Trimmer cutting diameter: 460mm
Brush cutting diameter: 254mm"

JFBC52CC

GASOLINE BRUSH CUTTER



Power: 1.4kw
Displacement: 51.7CC
Fuel tank Capacity: 800ml
Shaft diameter: 26mm
Trimmer cutting diameter: 460mm
Brush cutting diameter: 254mm"

JFBC52CCB

GASOLINE BRUSH CUTTER



Power: 1.4kw
Displacement: 51.7CC
Fuel tank Capacity: 800ml
Shaft diameter: 26mm
Trimmer cutting diameter: 460mm
Brush cutting diameter: 254mm"

BRUSH CUTTER / HEDGE TRIMMER

JFBC001

BRUSH CUTTER



Voltage: 110V/220V 50-60Hz
Input power: 300W
No-load speed: 12500rpm
Cutting capacity: 250mm

JFBC002

BRUSH CUTTER



Voltage: 110V/220V 50-60Hz
Input power: 350W
No-load speed: 1200rpm
Cutting capacity: 250mm

JFBC003

BRUSH CUTTER



Voltage: 110V/220V 50-60Hz
Input power: 1200W
No-load speed: 6500rpm
Cutting capacity: 420mm

JFBC004

BRUSH CUTTER



Voltage: 110V/220V 50-60Hz
Input power: 1200W
No-load speed: 6500rpm
Cutting capacity: 420mm

JFHT01

HEDGE TRIMMER



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Motor watt: 580W
No load speed: 1700r/min
Blade length: 510mm

JFHT02

HEDGE TRIMMER



Rated Voltage: 110/220 V
Frequency: 50/60 Hz
Motor watt: 580W
No load speed: 1700r/min
Blade length: 510mm



ELECTRIC CHAIN SAW



JFCN001
ELECTRIC CHAIN SAW



Voltage/Frequency: 110V/220V 50-60Hz
Rated input power: 1600W
Chain and bar: 16"

JFCN002
ELECTRIC CHAIN SAW



Voltage/Frequency: 110V/220V 50-60Hz
Rated input power: 2200W
Chain and bar: 16"

JFCN003
ELECTRIC CHAIN SAW



Voltage/Frequency: 110V/220V 50-60Hz
Rated power: 2200W
No-load Speed: 4800rpm
Guide plate size: 18"(405mm)

JFCN004
ELECTRIC CHAIN SAW



Voltage/Frequency: 110V/220V 50-60Hz
No-load speed: 5100 rpm
Power: 1300W
Guidebar: 16"
Chain Pitch: 3/8"

JFCN005
ELECTRIC CHAIN SAW



Voltage/Frequency: 110V/220V 50-60Hz
No-load speed: 5500rpm
Power: 1700W
Guidebar: 16"
Chain Pitch: 3/8"
Metal gear box

JFCN006
ELECTRIC CHAIN SAW



Rated Voltage: 110V/220V 50-60Hz
Output Power: 1400W
No-load speed, rpm: 5100
Guidebar: 14"
Chain: 3/8" P
Auto Oiler/Brake: Yes /No Brake

ELECTRIC LAWN MOWER



JFELM001
ELECTRIC LAWN MOWER



Rated voltage/Frequency: 110V/220V 50-60Hz
Rated power: 1000W
No-load speed: 3300rpm
Cutting height: 3 settings, 25/45/65mm
Max cutting length: 320mm

JFELM002
ELECTRIC LAWN MOWER



Rated voltage/Frequency: 110V/220V 50-60Hz
Rated power: 1400W/1600W
No-load speed: 3300rpm
Cutting height: 5 settings 25-75mm
Max cutting length: 370mm
Grass catcher: 30L/25L

JFELM003
ELECTRIC LAWN MOWER



Voltage: 110V/220V 50-60Hz
Power: 1200W
Real power: 1300W
No-load speed: 3600rpm
Cutting Capacity: 320-330mm
3 height position: 20/28/30mm
Collection bag: 30L
Motor: Brushed motor

JFELM004
ELECTRIC LAWN MOWER



Voltage: 110V/220V 50-60Hz
Power: 1500W
Idle speed: 3400RPM
Grass catcher capacity: 40L (Single-wheeled Single color L600)
Working width: 360mm
Adjustable 6 height position, 25-75mm / 6-stage/Raise the rear wheel

JFELM005
ELECTRIC LAWN MOWER



Voltage: 110V/220V 50-60Hz
Power: 1000W / Belt drive
Idle speed: 3450RPM
Grass catcher capacity: Approx 30L full plastic
Working width: 330mm
Adjustable 3 height position, 25/45/65mm
Wheel size: φ140*40mm (PP)

JFELM006
ELECTRIC LAWN MOWER



Voltage: 110V/220V 50-60Hz
Input power: 1200W
No load speed: 3500mm
Clipping capacity: 320mm
Cutting height: 20/25/30mm
Cutting position: 3
25L collection box
Series motor (Brush motor)

GARDEN SHREDDER

Electric shredder branches and leaves is suitable for fruit farms, forestry factories, tea factories, nurseries, gardens, etc.



The feed baffle is safer to operate.



Branch entrance easily press down to cut more labor-saving.



Chip discharge is convenient, unobstructed and not blocked. Convenient and durable



Thickened base does not shake.

JFG5001

GARDEN SHREDDER



Voltage/Frequency: 110V/220V 50-60Hz
 Rated power: 2500W
 No-load speed: 4500min-1
 Max cutting dia.: 45mm
 Collecting bag capacity: 50L
 Dia: 165mm

JFG5002

GARDEN SHREDDER



Voltage/Frequency: 110V/220V 50-60Hz
 Rated power: 2500W
 No-load speed: 4500min-1
 Max cutting dia.: 40mm
 Collecting bag capacity: 50L

JFG5003


GARDEN SHREDDER



Voltage/Frequency: 110V/220V 50-60Hz
 Rated power: 2500 W
 Motor speed: 2980 RPM
 No-load speed: 47 RPM
 Max cutting dia.: 45mm
 Collecting bag capacity: 60L

NON-POWERED SWEEPER

The non-powered sweeper is easy to use, can be pushed and moved to collect garbage into the dust box easily.



JFNPS01

NON-POWERED SWEEPER



Drive: manual
 Container capacity: 12L
 Speed: 4kph
 Area swept: 2700²/hour
 Operating width: 680mm

JFNPS02

NON-POWERED SWEEPER



Drive: manual
 Container capacity: 14L
 Speed: 4kph
 Area swept: 2800²/hour
 Operating width: 700mm

JFNPS03

NON-POWERED SWEEPER



Drive: manual
 Container capacity: 30L
 Speed: 4kph
 Area swept: 3300²/hour
 Operating width: 800mm

JFNPS04

NON-POWERED SWEEPER



Drive: manual
 Container capacity: 40L
 Speed: 4kph
 Area swept: 3900²/hour
 Operating width: 980mm



WATER PUMP



JFWQ serial

SUBMERSIBLE SEWAGE PUMP

JFWQ10-10-1.1
JFWQ10-15-1.5
JFWQ15-15-1.8
JFWQ15-18-2.2



Voltage: 110/220V
Power: 1100/1500/1800/2200W
Flow: 10/10/15/15m³/h
Lift: 16/18/24/14/32/16M
Water outlet dia: 50mm
Current: 7.0/9.4/10.2/13.5A
Speed: 2860r/min

JFWQ serial

SUBMERSIBLE CLEAN WATER PUMP

JF25QDX1.5-16-0.37
JF25QDX3-18-0.55
JF25QDX4-24-0.75
JF50QDX10-14-0.75
JF25QDX3-32-1.1
JF50QDX12-16-1.1



Voltage: 110/220V
Power: 370/550/750/1100W
Flow: 1.5/3.4/10/3/12 m³/h
Lift: 16/18/24/14/32/16M
Water outlet dia: 25/50mm
Current: 2.8/4.2/5.2/7.02A
Speed: 2860r/min

JFJET serial

JET PUMP

JFJET1500
JFJET2500



Voltage: 110/220V
Power: 1500/2500W
Flow: 3/5 m³/h
Lift: 4/5/16M
Water outlet dia: 25mm
Suction lift: 10M
Current: 5.4/7.12A
Speed: 2860r/min

JFJT serial

BOOSTER PUMP

JF-JT1200 SELF START



Voltage: 110/220V
Power: 200W
Flow: 2m³/h
Lift: 20M
Suction distance: 9M
Speed: 2860r/min

JFJET serial

AUTOMATIC STAINLESS JET PUMP

JFJET450Z
JFJET900Z



Voltage: 110/220V
Power: 450/900W
Flow: 2.7/4.5m³/h
Lift: 4/14/8M
Water outlet dia: 25mm
Suction distance: 10M
Current: 2.1/4.3A
Speed: 2860r/min

JFJT8055 serial

LINKED WATER PUMP-TRANSFORMER TYPE LINKED WATER PUMP-CHIP TYPE



Voltage: 110/220V
Power: 50W
Max Flow: 20L/min
Linkage: 9KW
Vertical lift: 50m

HAND ELECTRIC SUCKER / TILE CUTTER

JFHS01

HAND SUCKER



suction cup size: 7 7/8"
Layer: single
Dia dia: 18CM/20CM
Suction: 110KG /150KGS

JFHS02

HAND SUCKER



suction cup size: 8"
Layer: single or double
Dia dia: 20CM
Suction: 150KG
Digital Show can be choose

JFSS01

ELECTRIC SUCKER



suction cup size: 8"
Layer: double
Dia dia: 20CM
Suction: 150KG
Digital Show can be choose

JFPHS01

MINI PLASTIC HAND SUCKER



The ultimate tensile value is 70KG,
And the safe tensile value is 50KG

JFPHS02

MINI PLASTIC HAND SUCKER



The ultimate tension value is 120KG,
And the safe tension value is 100KG

JFPHS03

MINI PLASTIC HAND SUCKER



The limit tension value is 150KG,
And the safe tension value is 130KG

JFTC01


TILE CUTTER



Base plate width: 20CM
Base plate material: Aluminum 1.2/1.4/1.7
Laser: In-steeel
Iron rule

JFTC02

TILE CUTTER



Double Rule
Iron Base plate
Max cutting depth: 6-15mm
Size: 800mm 1000mm 1200mm
Material: stainless



HAND TOOLS SET / PARTS

JFHTS01

HAND TOOLS SET



Hand tools set, 94 in BMC.
DIY quality, without heating treatment

JFHTS02

HAND TOOLS SET



Hand tools set, 150 in BMC.
DIY quality, without heating treatment

JFHTS03

HAND TOOLS SET



Hand tools set, 72 in BMC.
DIY quality, without heating treatment

JFMS04

BENCH GRINDER



Hand tools set, 136 in BMC.
DIY quality, without heating treatment

JFMR01

MIXER ROD



Spiral non-rung type 80 80°400°7.8
Spiral non-rung type 80 80°400°7.8
Spiral non-rung type 100 100°600°9
Spiral non-rung type 120 120°600°9

JFMR02

MIXER ROD



Argon arc welding wire coil 50 type 80°400°7.8
Argon arc welding wire coil 80 type 80°400°7.8
Argon arc welding wire ring 100 type 100°600°9
Argon arc welding wire ring 120 type 120°600°9

JFMR03

MIXER ROD



Argon arc welding quadrangular 80 type 80°400°7.8
Argon arc welding quadrangle 100 type 100°600°9
Argon arc welding quadrangle 120 type 120°600°9

JFMR04

MIXER ROD



Argon arc welding spiral 80 80°400°7.8
Argon arc welding spiral type 80 80°400°7.8
Argon arc welding spiral 100 type 100°600°9
Argon arc welding spiral 120 type 120°600°9

JFCSP01

BATTERY PACK



12V /14.4/18/21V
1.3/1.5/2.0Ah (3c 5c 10c)
Worx type platform
Colorbox packing

JFCSP02

BATTERY PACK



12V /14.4/18/21V
1.3/1.5/2.0Ah (3c 5c 10c)
Makita type platform
Colorbox packing

JFCSP03

BATTERY PACK



12V /14.4/18/21V
1.3/1.5/2.0Ah (3c 5c 10c)
Quanyou type platform
Colorbox packing

JFCSP04

BATTERY PACK



Customized battery pack

HAND TOOLS SET / PARTS

JFCSP005

CHARGER



Supply voltage, 12V
Charging current, 0.5A

JFCSP006

CHARGER



Supply voltage, 18V
Charging current, 0.6A

JFCSP007

CHARGER



Supply voltage, 18V
Charging current, 1.2A

JFCSP008

CHARGER



Supply voltage, 18V
Charging current, 1.8A

JFBS01

BIT SET



25mm, -1 +2°1°12°-5°-6° material, CR-V
60mm connector, °11 whole blastic

JFBS02

BIT SET



25mm, -1 +2°1°12°-5°-6° material, CR-V
60mm connector, °11 half blastic

JFBS03

BIT SET



50mm, SL3-4-5-6, PH1-2-3, PZ1-2-3
whole blastic

JFBS04

BIT SET



11 bits & 1 magnetic bit

JFSS01

SOCKET SET



50mm, PH3-SL7
PH2-SL6
PH2-SL6
PH1-SL5
PH0-SL3
whole blastic

JFBS31 CV-C

BIT SET



One word: SL3-SL4-SL5-SL6-SL7
Cross: PH0-PH1-PH2-PH3
Mini PZ1-PZ2-PZ3
PZ4
PZ5
PZ6
PZ7
PZ8
PZ9
PZ10
PZ11
PZ12
PZ13
PZ14
PZ15
PZ16
PZ17
PZ18
PZ19
PZ20
PZ21
PZ22
PZ23
PZ24
PZ25
PZ26
PZ27
PZ28
PZ29
PZ30
PZ31
PZ32
PZ33
PZ34
PZ35
PZ36
PZ37
PZ38
PZ39
PZ40
PZ41
PZ42
PZ43
PZ44
PZ45
PZ46
PZ47
PZ48
PZ49
PZ50
PZ51
PZ52
PZ53
PZ54
PZ55
PZ56
PZ57
PZ58
PZ59
PZ60
PZ61
PZ62
PZ63
PZ64
PZ65
PZ66
PZ67
PZ68
PZ69
PZ70
PZ71
PZ72
PZ73
PZ74
PZ75
PZ76
PZ77
PZ78
PZ79
PZ80
PZ81
PZ82
PZ83
PZ84
PZ85
PZ86
PZ87
PZ88
PZ89
PZ90
PZ91
PZ92
PZ93
PZ94
PZ95
PZ96
PZ97
PZ98
PZ99
PZ100
PZ101
PZ102
PZ103
PZ104
PZ105
PZ106
PZ107
PZ108
PZ109
PZ110
PZ111
PZ112
PZ113
PZ114
PZ115
PZ116
PZ117
PZ118
PZ119
PZ120
PZ121
PZ122
PZ123
PZ124
PZ125
PZ126
PZ127
PZ128
PZ129
PZ130
PZ131
PZ132
PZ133
PZ134
PZ135
PZ136
PZ137
PZ138
PZ139
PZ140
PZ141
PZ142
PZ143
PZ144
PZ145
PZ146
PZ147
PZ148
PZ149
PZ150
PZ151
PZ152
PZ153
PZ154
PZ155
PZ156
PZ157
PZ158
PZ159
PZ160
PZ161
PZ162
PZ163
PZ164
PZ165
PZ166
PZ167
PZ168
PZ169
PZ170
PZ171
PZ172
PZ173
PZ174
PZ175
PZ176
PZ177
PZ178
PZ179
PZ180
PZ181
PZ182
PZ183
PZ184
PZ185
PZ186
PZ187
PZ188
PZ189
PZ190
PZ191
PZ192
PZ193
PZ194
PZ195
PZ196
PZ197
PZ198
PZ199
PZ200
PZ201
PZ202
PZ203
PZ204
PZ205
PZ206
PZ207
PZ208
PZ209
PZ210
PZ211
PZ212
PZ213
PZ214
PZ215
PZ216
PZ217
PZ218
PZ219
PZ220
PZ221
PZ222
PZ223
PZ224
PZ225
PZ226
PZ227
PZ228
PZ229
PZ230
PZ231
PZ232
PZ233
PZ234
PZ235
PZ236
PZ237
PZ238
PZ239
PZ240
PZ241
PZ242
PZ243
PZ244
PZ245
PZ246
PZ247
PZ248
PZ249
PZ250
PZ251
PZ252
PZ253
PZ254
PZ255
PZ256
PZ257
PZ258
PZ259
PZ260
PZ261
PZ262
PZ263
PZ264
PZ265
PZ266
PZ267
PZ268
PZ269
PZ270
PZ271
PZ272
PZ273
PZ274
PZ275
PZ276
PZ277
PZ278
PZ279
PZ280
PZ281
PZ282
PZ283
PZ284
PZ285
PZ286
PZ287
PZ288
PZ289
PZ290
PZ291
PZ292
PZ293
PZ294
PZ295
PZ296
PZ297
PZ298
PZ299
PZ300
PZ301
PZ302
PZ303
PZ304
PZ305
PZ306
PZ307
PZ308
PZ309
PZ310
PZ311
PZ312
PZ313
PZ314
PZ315
PZ316
PZ317
PZ318
PZ319
PZ320
PZ321
PZ322
PZ323
PZ324
PZ325
PZ326
PZ327
PZ328
PZ329
PZ330
PZ331
PZ332
PZ333
PZ334
PZ335
PZ336
PZ337
PZ338
PZ339
PZ340
PZ341
PZ342
PZ343
PZ344
PZ345
PZ346
PZ347
PZ348
PZ349
PZ350
PZ351
PZ352
PZ353
PZ354
PZ355
PZ356
PZ357
PZ358
PZ359
PZ360
PZ361
PZ362
PZ363
PZ364
PZ365
PZ366
PZ367
PZ368
PZ369
PZ370
PZ371
PZ372
PZ373
PZ374
PZ375
PZ376
PZ377
PZ378
PZ379
PZ380
PZ381
PZ382
PZ383
PZ384
PZ385
PZ386
PZ387
PZ388
PZ389
PZ390
PZ391
PZ392
PZ393
PZ394
PZ395
PZ396
PZ397
PZ398
PZ399
PZ400
PZ401
PZ402
PZ403
PZ404
PZ405
PZ406
PZ407
PZ408
PZ409
PZ410
PZ411
PZ412
PZ413
PZ414
PZ415
PZ416
PZ417
PZ418
PZ419
PZ420
PZ421
PZ422
PZ423
PZ424
PZ425
PZ426
PZ427
PZ428
PZ429
PZ430
PZ431
PZ432
PZ433
PZ434
PZ435
PZ436
PZ437
PZ438
PZ439
PZ440
PZ441
PZ442
PZ443
PZ444
PZ445
PZ446
PZ447
PZ448
PZ449
PZ450
PZ451
PZ452
PZ453
PZ454
PZ455
PZ456
PZ457
PZ458
PZ459
PZ460
PZ461
PZ462
PZ463
PZ464
PZ465
PZ466
PZ467
PZ468
PZ469
PZ470
PZ471
PZ472
PZ473
PZ474
PZ475
PZ476
PZ477
PZ478
PZ479
PZ480
PZ481
PZ482
PZ483
PZ484
PZ485
PZ486
PZ487
PZ488
PZ489
PZ490
PZ491
PZ492
PZ493
PZ494
PZ495
PZ496
PZ497
PZ498
PZ499
PZ500
PZ501
PZ502
PZ503
PZ504
PZ505
PZ506
PZ507
PZ508
PZ509
PZ510
PZ511
PZ512
PZ513
PZ514
PZ515
PZ516
PZ517
PZ518
PZ519
PZ520
PZ521
PZ522
PZ523
PZ524
PZ525
PZ526
PZ527
PZ528
PZ529
PZ530
PZ531
PZ532
PZ533
PZ534
PZ535
PZ536
PZ537
PZ538
PZ539
PZ540
PZ541
PZ542
PZ543
PZ544
PZ545
PZ546
PZ547
PZ548
PZ549
PZ550
PZ551
PZ552
PZ553
PZ554
PZ555
PZ556
PZ557
PZ558
PZ559
PZ560
PZ561
PZ562
PZ563
PZ564
PZ565
PZ566
PZ567
PZ568
PZ569
PZ570
PZ571
PZ572
PZ573
PZ574
PZ575
PZ576
PZ577
PZ578
PZ579
PZ580
PZ581
PZ582
PZ583
PZ584
PZ585
PZ586
PZ587
PZ588
PZ589
PZ590
PZ591
PZ592
PZ593
PZ594
PZ595
PZ596
PZ597
PZ598
PZ599
PZ600
PZ601
PZ602
PZ603
PZ604
PZ605
PZ606
PZ607
PZ608
PZ609
PZ610
PZ611
PZ612
PZ613
PZ614
PZ615
PZ616
PZ617
PZ618
PZ619
PZ620
PZ621
PZ622
PZ623
PZ624
PZ625
PZ626
PZ627
PZ628
PZ629
PZ630
PZ631
PZ632
PZ633
PZ634
PZ635
PZ636
PZ637
PZ638
PZ639
PZ640
PZ641
PZ642
PZ643
PZ644
PZ645
PZ646
PZ647
PZ648
PZ649
PZ650
PZ651
PZ652
PZ653
PZ654
PZ655
PZ656
PZ657
PZ658
PZ659
PZ660
PZ661
PZ662
PZ663
PZ664
PZ665
PZ666
PZ667
PZ668
PZ669
PZ670
PZ671
PZ672
PZ673
PZ674
PZ675
PZ676
PZ677
PZ678
PZ679
PZ680
PZ681
PZ682
PZ683
PZ684
PZ685
PZ686
PZ687
PZ688
PZ689
PZ690
PZ691
PZ692
PZ693
PZ694
PZ695
PZ696
PZ697
PZ698
PZ699
PZ700
PZ701
PZ702
PZ703
PZ704
PZ705
PZ706
PZ707
PZ708
PZ709
PZ710
PZ711
PZ712
PZ713
PZ714
PZ715
PZ716
PZ717
PZ718
PZ719
PZ720
PZ721
PZ722
PZ723
PZ724
PZ725
PZ726
PZ727
PZ728
PZ729
PZ730
PZ731
PZ732
PZ733
PZ734
PZ735
PZ736
PZ737
PZ738
PZ739
PZ740
PZ741
PZ742
PZ743
PZ744
PZ745
PZ746
PZ747
PZ748
PZ749
PZ750
PZ751
PZ752
PZ753
PZ754
PZ755
PZ756
PZ757
PZ758
PZ759
PZ760
PZ761
PZ762
PZ763
PZ764
PZ765
PZ766
PZ767
PZ768
PZ769
PZ770
PZ771
PZ772
PZ773
PZ774
PZ775
PZ776
PZ777
PZ778
PZ779
PZ780
PZ781
PZ782
PZ783
PZ784
PZ785
PZ786
PZ787
PZ788
PZ789
PZ790
PZ791
PZ792
PZ793
PZ794
PZ795
PZ796
PZ797
PZ798
PZ799
PZ800
PZ801
PZ802
PZ803
PZ804
PZ805
PZ806
PZ807
PZ808
PZ809
PZ810
PZ811
PZ812
PZ813
PZ814
PZ815
PZ816
PZ817
PZ818
PZ819
PZ820
PZ821
PZ822
PZ823
PZ824
PZ825
PZ826
PZ827
PZ828
PZ829
PZ830
PZ831
PZ832
PZ833
PZ834
PZ835
PZ836
PZ837
PZ838
PZ839
PZ840
PZ841
PZ842
PZ843
PZ844
PZ845
PZ846
PZ847
PZ848
PZ849
PZ850
PZ851
PZ852
PZ853
PZ854
PZ855
PZ856
PZ857
PZ858
PZ859
PZ860
PZ861
PZ862
PZ863
PZ864
PZ865
PZ866
PZ867
PZ868
PZ869
PZ870
PZ871
PZ872
PZ873
PZ874
PZ875
PZ876
PZ877
PZ878
PZ879
PZ880
PZ881
PZ882
PZ883
PZ884
PZ885
PZ886
PZ887
PZ888
PZ889
PZ890
PZ891
PZ892
PZ893
PZ894
PZ895
PZ896
PZ897
PZ898
PZ899
PZ900
PZ901
PZ902
PZ903
PZ904
PZ905
PZ906
PZ907
PZ908
PZ909
PZ910
PZ911
PZ912
PZ913
PZ914
PZ915
PZ916
PZ917
PZ918
PZ919
PZ920
PZ921
PZ922
PZ923
PZ924
PZ925
PZ926
PZ927
PZ928
PZ929
PZ930
PZ931
PZ932
PZ933
PZ934
PZ935
PZ936
PZ937
PZ938
PZ939
PZ940
PZ941
PZ942
PZ943
PZ944
PZ945
PZ946
PZ947
PZ948
PZ949
PZ950
PZ951
PZ952
PZ953
PZ954
PZ955
PZ956
PZ957
PZ958
PZ959
PZ960
PZ961
PZ962
PZ963
PZ964
PZ965
PZ966
PZ967
PZ968
PZ969
PZ970
PZ971
PZ972
PZ973
PZ974
PZ975
PZ976
PZ977
PZ978
PZ979
PZ980
PZ981
PZ982
PZ983
PZ984
PZ985
PZ986
PZ987
PZ988
PZ989
PZ990
PZ991
PZ992
PZ993
PZ994
PZ995
PZ996
PZ997
PZ998
PZ999
PZ1000

BIT SET



25 mm screwdriver bit Philips says # 0° 2PC, # 1° 2PC, # 2° 4PC, # 3° 2PC
Pistol # 0° 1PC, # 1° 1PC, # 2° 4PC, # 3° 2PC
Square # 0.4 1/4 2/4 3/4 3/8 1/2 5/8 3/4 1 1 1/4 1 1/2 1 3/4 2 2 1/4 2 1/2 3 3 1/4 4 4 1/4 5 5 1/4 6 6 1/4 7 7 1/4 8 8 1/4 9 9 1/4 10 10 1/4 11 11 1/4 12 12 1/4 13 13 1/4 14 14 1/4 15 15 1/4 16 16 1/4 17 17 1/4 18 18 1/4 19 19 1/4 20 20 1/4 21 21 1/4 22 22 1/4 23 23 1/4 24 24 1/4 25 25 1/4 26 26 1/4 27 27 1/4 28 28 1/4 29 29 1/4 30 30 1/4 31 31 1/4 32 32 1/4 33 33 1/4 34 34 1/4 35 35 1/4 36 36 1/4 37 37 1/4 38 38 1/4 39 39 1/4 40 40 1/4 41 41 1/4 42 42 1/4 43 43 1/4 44 44 1/4 45 45 1/4 46 46 1/4 47 47 1/4 48 48 1/4 49 49 1/4 50 50 1/4 51 51 1/4 52 52 1/4 53 53 1/4 54 54 1/4 55 55 1/4 56 56 1/4 57 57 1/4 58 58 1/4 59 59 1/4 60 60 1/4 61 61 1/4 62 62 1/4 63 63 1/4 64 64 1/4 65